AGENDA

ST. PETERSBURG COLLEGE BOARD OF TRUSTEES TUESDAY, FEBRUARY 19, 2013

HEALTH EDUCATION CENTER TEACHING AUDITORIUM 7200 66TH STREET N PINELLAS PARK, FLORIDA

SPECIAL MEETING: 8:30 A.M.

I. CALL TO ORDER

- A. Invocation
- B. Pledge of Allegiance

II. PRELIMINARY MATTERS

- A. Presentation of Retirement Resolutions and Motion for Adoption
 - 1. Anna Hausdorf (*Attending*)
 - 2. Barbara Molter (*Not Attending*)

III. COMMENTS

- A. Board Chair
- B. Board Members
- C. President

IV. REVIEW AND APPROVAL OF MINUTES

Board of Trustees' Meeting of January 15, 2013

V. MONTHLY REPORTS

- A. Board Attorney Joseph H. Lang
- B. Acting General Counsel Suzanne Gardner
- C. Dr. Kevin Gordon, Provost, Downtown/Midtown Campus; Dean Kim Hartman, College of Education
- D. Teresa Phoenix, Chair Career Service Council

VI. OLD BUSINESS (items previously considered but not finalized) – None

- A. Tarpon Springs Campus Land Sale Agreement with R.K.M. Development Corporation (*Action*)
 - Purchase and Sales agreement attachment
- B. Selection for Construction Manager @ Risk Services Construct Midtown Center Site 16 (*Action*)
 - Construction Manager at Risk Project Approval Steps and Criteria attachment

VII. NEW BUSINESS

- A. STUDENT SUCCESS AND ACHIEVEMENT
 - Faculty Evaluation (Dr. Cooper)
 - Excellence in Teaching and Learning PowerPoint (*Information*)
 - o 2013-14 Continuing Contract Recommendations attachment (*Action*)
 - o 2013-14 Contract Recommendations attachment (Action)
- B. BIDS, EXPENDITURES AND CONTRACTS (through Purchasing) None
- C. OTHER EXPENDITURES AND CONTRACTS None
- D. GRANTS/RESTRICTED FUNDS CONTRACTS
 - 1. Application/Acceptance
 - a. American Association of Community Colleges Plus 50 Encore Completion Program (*Action*)
 - b. Progress Energy SunSense Schools Solar Program (Action)

E. CAPITAL OUTLAY, MAINTENANCE, RENOVATION, AND CONSTRUCTION

- 1. 2011-12 and 2012-13 Sanitation, Casualty and Safety Inspection Reports (*Action*)
 - SPC 2011-2012 Annual Sanitation and Casualty Safety Inspection attachment
 - SPC 2012- 2013 Annual Sanitation and Casualty Safety Inspection attachment

- 2. Acquisition of 2 Midtown Area Properties (Action)
 - Midtown Purchase Letter of Intent attachment
- F. AGENCY BILLINGS None

G. ADMINISTRATIVE MATTERS

- 1. Human Resources
 - a. Personnel Report (Action)
- 2. Finance
 - a. FY12-13 July 1 January 31 Fund 1 Financial Report (Information)
- 3. Marketing Update (*Information*)

H. ACADEMIC MATTERS

- 1. Discontinuation of Parks & Leisure Services (PALS) Program (Action)
- I. PROPOSED CHANGES TO BOT RULES MANUAL Public Hearing None

VIII. PRESENTATION FROM THE PUBLIC

IX. PRESIDENT'S REPORT

X. FUTURE AGENDA ITEMS

XI. NEXT MEETING DATE AND SITE

March 19, 2013, Epi Center

XII. ADJOURNMENT

If any person wishes to appeal a decision made with respect to any matter considered by the Board at its meeting February 19, 2013, he or she will need a record of the proceedings. It is the obligation of such person to ensure a verbatim record of the proceedings is made, §286.0105, Florida Statutes.

Items summarized on the Agenda may not contain full information regarding the matter being considered. Further information regarding these items may be obtained by calling the Board Clerk at (727) 341-3241.

*No packet enclosure

Date Advertised: January 16, 2013

Confirmation of Publication

Notice of meeting

Within Reach St. Petersburg College SSPC


Downtown/Midtown update

Goals for student success:

- Increase the success rate ("C" or better in coursework) at DT/MT by 4% points for Fall 2012-13.
- Increase the completion rate in MAT 0018 by 10% (36.6% to 46.6%).

Results for student success:

- Success rate increased from 64.8% to 68.2%
- MAT success rate increased from 36.6% to 47.3%.



College of Education

- The COE has prepared 1,703 teachers.
- In the fall term, 19 of the 65 final interns were released early to take classroom positions. Dozens more were offered jobs beginning in the spring semester.
- The COE opened a new teacher education program for PREK-3rd grade education. This is projected to be one of the fastest growing occupations in Pinellas County.
- Florida is making significant changes to the K-12 system to better prepare students for college and career readiness. The COE is taking a lead in preparing future teachers on the transition from Next Generation Sunshine State Standards to the Common Core State Standards and from FCAT to PARCC.
- Faculty in the COE are committed to students success. A recent survey revealed that COE faculty engages students in an estimated 207 hours a month in out-of-class support.
- In November 10 COE students participated in a Study Abroad trip to work in Jamaican schools

CAREER SERVICE EMPLOYEE PROFESSIONAL DEVELOPMENT "SPRING TRAINING" ROLL OUT

Part of the "Phase 1" initiative to promote Professional Development amongst all Career Service Staff

Provides 6 professional training units in areas of core competencies:

- Interpersonal Effectiveness
- Leadership, Institutional/Job-Specific
- Technical/Technology

Courses are Face-to-face and online

- Electronically registered
- Permanently documented via SkillPort Software

Precursor to Phase II training

- Recommended 24 units of Professional Development per fiscal year
- Ties to annual evaluation, Career Pathing & Organizational goals

February 19, 2013

MEMORANDUM

| TO: | Board of Trustees, St. Petersburg College | | |
|----------|---|--|--|
| FROM: | William D. Law, Jr., President | | |
| SUBJECT: | Tarpon Springs Campus – Land Sale Agreement with R.K.M. | | |

Development Corporation

Authorization is requested to sell 0.91 acres of land on the Tarpon Springs Campus to R.K.M. Development Corporation ("RKM"). The proposed purchase price is \$400,000 supplemented by additional parking and site improvements for the College totaling \$350,000.

Currently, there is an older gas station on the parcel adjacent to the subject property. RKM wants to purchase the subject property and the adjacent parcel and construct a new convenience store and gas station (WAWA). The property being sold by the college will be used for additional parking for the store.

As a condition to acquisition of this Property, RKM will also construct additional parking on existing college property to replace that being lost via the sale of the property to RKM. This will allow the college to incorporate improvements to the main entrance of the Tarpon campus.

The terms of the purchase and sale agreement are attached for review. Changes have been incorporated at the request of the Board at the January, 2013 meeting.

This proposed transaction is being provided to the Board as required by Florida Statutes, Chapter 1013.15, Disposal of property, Section (1)(a), which provides in relevant part:

Subject to rules of the State Board of Education, a district school board, the Board of Trustees for the Florida School for the Deaf and the Blind, or a Florida College System institution board of trustees may dispose of any land or real property to which the board holds title which is, by resolution of the board, determined to be unnecessary for educational purposes as recommended in an educational plant survey. A district school board, the Board of Trustees for the Florida School for the Deaf and the Blind, or a Florida College System institution board of trustees shall take diligent measures to dispose of educational property only in the best interest of the public.

Doug Duncan, Senior Vice President, Administrative/Business Services and Information Technology, recommends approval.

jw0205131

PURCHASE AND SALE AGREEMENT

This Purchase and Sale Agreement ("**Agreement**") is made as of the last date that this Agreement is executed by either party as indicated beneath the signatures (the "Effective Date"), between **St. Petersburg College** ("Seller") and **R.K.M. Development Corp.**, a Florida corporation ("Buyer").

1. <u>Sale of Property</u>. Seller agrees to sell and Buyer agrees to purchase, subject to the terms and conditions of this Agreement, that property in the County of Pinellas, State of Florida, as shown on the attached Exhibit A, being a total of approximately 0.80 acres, together with all appurtenant rights of Seller including, without limitation, adjacent streets, roads, alleys and right-of-ways and such other rights as may be specified in this Agreement (collectively the "**Property**").

- 2. <u>Purchase Price</u>. The purchase price is \$400,000.00, payable as follows:
- \$5,000.00 Earnest money deposit-to be delivered to James C. Rowe, P.A. ("Escrow Agent") within 5 days of the execution of this Agreement by both parties. Escrow Agent may (but is not required to) deposit the earnest monies in an interest bearing account and, if so, interest earned will be credited to Buyer. This deposit shall be paid to Seller at closing, subject to other provisions of this Agreement. If any dispute arises concerning the deposit, the Escrow Agent may interplead the funds, be released from further responsibility, and will not be restricted from representing Buyer in connection with any matters relating to the Agreement. Any reference in this Agreement to earnest monies shall include all deposits plus any accrued interest.
- Balance Cash, cashiers/certified check, or wire transfer payable at closing, as adjusted by pro rations and closing costs described below.

3. Inspection Period. Buyer shall have a period of One Hundred Twenty (120) days (the "Inspection Period") from the Effective Date of this Agreement to perform studies and inspections to determine if the Property, in its sole discretion, is suitable for its proposed commercial development (including, without limitation, market studies, site plans, and architectural drawings). Seller shall provide Buyer within 20 days of the Effective Date with copies of any existing studies or reports that Seller has in connection with the Property relating to environmental conditions, soil conditions, engineering studies, wetlands mitigation, storm water retention/detention, SWFWMD compliance, traffic studies, utility plans, surveys, and title insurance policies; provided, however that Seller is providing this for informational purposes only and is not making any representation or warranty, either express or implied, with respect to the completeness or accuracy of the information contained in such studies or reports and Buyer is relying solely on its own investigations and inspections of the Property. Seller grants Buyer and Buyer's representatives the right to go on the Property to conduct its site studies during this Inspection Period and up to and including the Closing Date. Buyer agrees to restore the Property substantially to its original condition after completion of studies and inspections. Buyer agrees to hold Seller harmless from any damages or liabilities arising from injuries or property damage caused by activities of Buyer or its representatives permitted under this paragraph and further agrees that no liens shall be permitted to be attached to the Property as a result of any such activities.

If Buyer determines, in its sole discretion, that the Property is unsuitable for its proposed development and gives written notice of this fact to Seller during the Inspection Period, then this Agreement shall terminate and all earnest monies shall be returned to Buyer.

4. <u>Title Commitment and Survey</u>. Within 30 days from the end of the Inspection Period, Buyer, at its expense, shall order a title commitment from Fidelity National Title Group ("**Title Company**") and obtain a copy of all documents which constitute exceptions to the title commitment. Buyer shall give Seller written notice on or before 30 days after the receipt of the title commitment (or any update prior to closing) of any condition of title (exceptions or requirements) that is not satisfactory, in Buyer's sole discretion. Similarly, Buyer shall have 30 days after obtaining the survey as described below (or any update prior to closing) within which to notify Seller of any unsatisfactory survey matters. If such notice is given, Seller shall diligently undertake, at their expense, to resolve such matters to Buyer's satisfaction; provided, however, that at closing mortgages, other liens, or matters subject to resolution from the sales proceeds may be resolved at closing. If Seller is unable with the exercise of due diligence to resolve such matters within 60 days after Buyer's notice, then Buyer may, at its option, either (1) accept title subject to the objections raised by Buyer, without any adjustment in the Purchase Price, or (2) rescind this Agreement, whereupon the earnest monies shall be returned to Buyer, or (3) work with Seller to satisfy unacceptable matters and postpone the closing date the same time period as it takes to satisfy these matters. Seller shall reimburse Buyer for the cost of the search and examination for the title commitment at closing.

Within 30 days from the end of the Inspection Period, Buyer, at its expense, shall order a current survey of the Property prepared by a duly licensed land surveyor. The survey shall be certified to the Buyer, Seller, and the Title Company and contain a certification of the acreage contained within the Property, as well as show all easements and other matters which are capable of being located on a survey. In the event the survey (or any update prior to closing) shows any encroachments relating to the Property, or any easement, or other matters which would, in Buyer's reasonable opinion, interfere with Buyer's intended use of the Property, then such matter shall be treated in the same manner as a title defect under the procedure set forth above.

5. <u>Closing</u>. This Agreement shall be closed in the following manner.

A. <u>Closing Date</u>. The "Closing Date" shall be a date selected by Buyer to be on or before One Hundred Eighty (180) days after the end of the Inspection Period. Notwithstanding the foregoing, in the event Buyer has not received the necessary approvals for Buyer's proposed development from the County of Pinellas or any other government & municipal agencies with jurisdiction over the Property, Buyer may extend the closing date for three additional periods of thirty (30) days each upon payment of \$5,000 to the Escrow Agent at the time each such extension is requested, which deposits shall be non refundable (subject only to Seller's ability to convey clear title and the fulfillment of the conditions precedent identified in Paragraph 8 below or if Buyer is unable to obtain governmental approvals necessary for it's intended use of the Property), and shall be applied towards the Purchase Price at closing. The closing will take place at a mutually agreed upon place, or may be completed by delivery of executed closing documents by mail or overnight delivery service. Seller shall deliver occupancy and possession of the Property to Buyer at the time of closing unless otherwise stated herein.

B. <u>Seller's Instruments</u>. At or prior to the Closing Date, Seller shall deliver to the Escrow Agent the following items, duly executed and acknowledged where required:

(1) <u>Warranty Deed</u>. A general warranty deed in form satisfactory to Buyer, specifically stating all approved exceptions to title.

(2) <u>Foreign Person Tax Withholding</u>. Documentation or information required for compliance with Section 1445 of the Internal Revenue Code.

(3) <u>Additional Documents</u>. Such additional documents as might be reasonably required by the Buyer, Buyer's Lender, or the Title Company to consummate the sale of the Property to the Buyer.

C. <u>Costs</u>. Seller will pay the costs of all documentary stamp taxes and recording costs on the warranty deed. Buyer will pay all costs of its survey, all costs relating to any financing of the purchase, the premium for the owner's title insurance policy at the lowest available promulgated rates, the cost of the title insurance commitment, and all brokerage commissions payable in connection with the sale.

D. <u>**Tax Prorations.**</u> All taxes and assessments (including pending assessments if the related improvement is substantially completed as of the Closing Date), whether payable in installments or not, for the year of closing will be prorated to the Closing Date, based on the latest available tax rate and assessed valuation, applying the full available discount (with the parties signing a proration agreement as to adjustments when actual taxes are known).

6. <u>Failure of Performance</u>. If Seller fails to perform as required under this Agreement, then either (1) Buyer may enforce specific performance of this Agreement and in such action shall have the right to recover damages suffered by Buyer by reason of delay in the acquisition of the Property, or (2) Buyer may recover damages for breach of this Agreement, together with all other legal and equitable remedies, without acquiring the Property. If Buyer fails to perform as required under this Agreement, then Seller shall receive as its sole remedy the earnest monies as liquidated damages (specific damages being waived by Seller).

7. <u>Representations and Warranties of Seller</u>. Seller represents and warrants to Buyer the matters described below and shall promptly notify Buyer of any new information relevant to such matters through closing.

A. <u>Seller's Title</u>. Seller holds good and marketable fee simple title to the Property, free and clear of all liens, restrictions and encumbrances (other than what may be satisfied at closing or are acceptable to Buyer under Paragraph 4 above). The person signing this Agreement on behalf of Seller (if an entity) has the proper power and authority to bind the Seller.

B. <u>Adverse Information</u>. There are no condemnation, zoning or other land use regulations, proceedings, either instituted, or planned to be instituted (except those which may be instituted by Buyer), which would affect the Property, nor does Seller have any pending applications or petitions before any governmental or regulatory body relating to the Property. Seller has received no notice of any special assessment proceedings. Seller has no information or knowledge of (1) any change contemplated in any applicable laws, ordinances, or regulations, (2) any judicial or administrative action, (3) any action by adjacent landowners, (4) natural or artificial conditions upon the Property, which would prevent, impede, or render more costly Buyer's use of the Property; or (5) any defects or conditions in need of repair on the Property (all of the foregoing being subject to such matters as Seller has disclosed in the Agreement).

C. <u>Closing Documents</u>. All the documents executed by the Seller which are to be delivered to Buyer at closing are, or at closing will be, (1) duly authorized, executed and delivered by Seller, (2) legal, valid, and binding obligations of Seller, and (3) sufficient to convey title (if they purport to do so); and such documents do not and at the closing will not violate any provisions of any agreement to which Seller is a party or to which Seller is subject.

D. <u>Costs Paid</u>. At the closing there will be no outstanding contracts made by Seller for any improvements to the Property which have not been fully paid for and Seller shall cause to be discharged all mechanics' or material men's liens arising from any labor or materials furnished to the Property prior to closing.

E. <u>**Parties in Possession.**</u> As of closing there shall be no one in possession or with any rights of possession of the Property other than Seller (an affidavit as to this shall also be executed at closing).

F. Environmental Concerns. Seller shall provide Buyer within 20 days of the Effective Date of this Agreement copies of any Phase I or Phase II environmental reports that Seller has in its possession or control relating to environmental conditions of the Property (collectively, the "Environmental Documents"). Other than what is disclosed in the Environmental Documents, Seller has no knowledge that the Property has in the past been used or is presently being used for the handling, storage, manufacturing, refining, transportation or disposal of "toxic material", "hazardous substances" or "hazardous waste". Furthermore, there has not been and is no leaking or drainage of waste materials or hazardous substances into the groundwater beneath or adjacent to the Property; and there have not been and are no buried or semi-buried or otherwise placed tanks, storage vessels, drums, or containers of any kind located on the Property. The terms "hazardous waste", "hazardous substances", and "toxic material" include, without limitation, any flammable explosives, radioactive materials, hazardous materials, hazardous wastes, hazardous or toxic substances or related materials defined in the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, as amended (42 U.S.C. 960 et seq.), the Hazardous Materials Transportation Act, as amended (42 U.S.C. 1801 et seq.), the Resource Conservation and Recovery Act, as amended (42 U.S.C. 9601 et seq.), the regulations adopted and publications promulgated pursuant to the foregoing and any other federal, state or local environmental law, ordinance, rule or regulation. Furthermore, Seller has not received a summons, citation, directive, letter or other communication, written or oral, from any governmental authority as to any of the above environmental concerns. If "hazardous waste", "hazardous substances", or "hazardous material" is located on the Property, then Buyer shall have the option to either close this transaction and require Seller, at Seller's expense, to deliver the Property free from the condition provided the cost does not exceed \$100,000, or Buyer may elect to terminate this Agreement and all earnest monies shall be returned to Buyer.

G. <u>Covenants of Seller</u>. Seller covenants that, after the Effective Date, Seller will not sell, assign or convey any right, title or interest whatsoever in or to the Property or create any lien, encumbrance or charge on the Property.

8. <u>Conditions Precedent</u>. Buyer's obligation to close is subject to the satisfaction, as of the Closing Date, of each of the conditions described below (any of which may be waived in whole or in part in writing by Buyer at or prior to the Closing Date). Unless specifically stated as Seller's obligation, the satisfaction of all these conditions shall be at Buyer's sole expense. Buyer shall diligently and in good faith pursue the satisfaction of these conditions and Seller shall promptly cooperate whenever required by Buyer. In the event the conditions below have not been satisfied to the Buyer's satisfaction, the Buyer shall have the right to terminate this Agreement by so notifying Seller in writing. In such event, the Escrow Agent shall return the earnest money to Buyer.

A. <u>Correctness of Representations and Warranties</u>. The representations and warranties of Seller shall be true on and as of the Closing Date.

B. <u>Compliance by Seller</u>. Seller shall have performed, observed and complied with all of its covenants, agreements and conditions as required by this Agreement.

C. Zoning. As of the Closing Date the Property shall be zoned for commercial real estate.

D. <u>No Moratoriums</u>. There shall be no development or building moratorium in effect with regard to the Property. In the event any such moratorium shall exist, then Buyer shall have the option of either (1) closing the transaction in accordance with the terms of this Agreement, (2) delaying closing until after the moratorium is lifted, or (3) terminating this Agreement by notice to the Seller, in which event the earnest monies shall be returned to Buyer.

E. <u>Ingress and Egress</u>. There shall be suitable ingress and egress to the Property, including all necessary turning movements and curb cuts for Buyer's proposed development.

F. <u>Sanitary Sewer and Water Facilities</u>. Buyer shall have (1) determined that sanitary sewer and water facilities adequate to serve the Property are available and (2) secured all required governmental approvals for the installations and use of such sanitary sewer and water facilities.

G. <u>Utilities</u>. Buyer shall have made arrangements satisfactory to it for the provisions of utilities as are necessary and adequate for Buyer's proposed use.

H. <u>Acquisition of Adjacent Parcel.</u> The purchase of this Property is contingent on the acquisition by Buyer of the adjacent property to the northeast of the Property currently operating as a service station, whose address is 38590 U.S. Highway 19 North, Palm Harbor, FL 34684, as described on the attached Exhibit "B".

I. <u>Governmental Approvals</u>. Buyer shall have received all necessary governmental approvals from the appropriate authorities for Buyer's proposed development, including without limitation building permits, site plan approval, and storm water retention. In addition, Buyer shall have received approval of its proposed end user of the site plan as satisfying all of the end user's conditions pursuant to its lease agreement with Buyer.

9. Buyer's Obligation for Additional Parking and Entrance Improvements. As a condition of the acquisition of this Property, Buyer hereby agrees to construct a parking lot ("Additional Parking"), at an estimated value of \$250,000, in the location as shown on Exhibit "C" which is attached hereto. Buyer shall commence construction of the Additional Parking within One Hundred Twenty (120) Days after the Closing Date in connection with its primary development of the Property in accordance with acceptable parking space dimensions and construction materials as determined solely by Seller. The parties shall mutually determine the total number and configuration of parking spaces within the Additional Parking during Buyer's permitting process for its contemplated development, which shall generally conform to Exhibit "C". Additionally, Buyer agrees to remodel Seller's entrance off Klosterman Road ("Entrance Improvements") in the location as shown on Exhibit "C" to generally match the southern entry on Seller's property. The Entrance Improvements shall include the new lane, striping and directional markings as generally depicted on Exhibit "C" and shall be constructed using acceptable construction materials for entrance drives for similar properties as determined solely by Seller. Specific plans and detailed drawing for the Entrance Improvements shall be mutually agreed upon by Buyer and Seller during Buyer's permitting process for its contemplated development, and the cost to be incurred by Buyer for the construction of the Entrance Improvements shall not exceed \$100,000.00. Buyer shall perform the Entrance Improvements at the same time as Buyer constructs the Additional Parking. In the event that Seller, in its sole discretion, elects to postpone the construction of the Entrance Improvements to a later time after Buyer has completed the Additional Parking in order to reduce the disruption to its property or for any other reason, or in the event that Seller, in its sole discretion, elects to hire a third party other than Buyer to construct the Entrance Improvements, then Buyer shall pay Seller a sum of \$100,000.00 (exclusive of all other sums referenced in this Agreement) for Seller to use to have the Entrance Improvements completed at a future date by a third party other than Buyer. Upon making such payment, Buyer shall be released from any further obligation or responsibility to construct the Entrance Improvements and that Buyer's agreement to so construct as set forth in this paragraph shall be deemed satisfied.

10. <u>Cooperation</u>. Seller shall cooperate with Buyer as to all consent requirements relating to governmental approvals (*e.g.*, D.O.T., site plan, zoning, water management, building permits, etc.), all of which shall be at Buyer's sole cost.

11. <u>**Disclosure by Buyer**</u>. The principal of Buyer, through an affiliate corporation, is a Florida licensed real estate broker, although Buyer is dealing in its own behalf.

12. <u>Expiration of Offer</u>. Buyer's execution of this Agreement constitutes an offer by Buyer. This offer shall expire if this Agreement is not executed by Seller and returned to Buyer by February 22, 2013.

13. <u>Tax-Deferred Exchange</u>. Seller shall have the option to arrange for a tax-deferred exchange of the Property provided that no additional cost or time delay is occasioned to the Buyer by virtue of the tax-deferred exchange. Buyer agrees to cooperate with Seller in the arrangement of such a tax-deferred exchange, at Seller's sole cost.

14. Miscellaneous. It is further agreed as follows:

A. <u>Notice</u>. All notices will be in writing and served by postage prepaid certified mail, by next day delivery (such as Federal Express), or by facsimile transmission to the addresses shown below, until notification of a change of such addresses. All such notices shall be deemed delivered on the date initiated.

For Buyer:For Seller:William C. LloydSt. Petersburg CollegeR.K.M. Development Corp.General Counsel's Office147 2nd Avenue South, Suite 400P.O. Box 13489St. Petersburg, FL 33701St. Petersburg, Florida 33733(727) 895-2150(727) 341-3325(727) 821-5461 FAX(727) 341-3366 FAX

B. <u>Survival</u>. All representations and warranties in this Agreement shall survive the closing, as shall any covenants for performance after closing.

C. <u>No Waiver</u>. Failure of either party to exercise any rights under this Agreement shall not constitute a waiver of any right, nor excuse the other party's full performance. No express waiver of any matter shall affect any other matter under this Agreement. Express waivers are only effective if in writing.

D. <u>Brokerage</u>. Seller and Buyer warrant and represent to each other that the sole brokers involved in this transaction are R.K.M Properties, Inc. licensed real estate broker and Renaissance Realty Company, LLC, Florida licensed real estate broker, whose commission is the sole responsibility of Buyer and shall be paid in accordance with a separate agreement between Buyer and said brokers. Seller and Buyer agree to indemnify and hold each other harmless from and against any other claims with respect to any form of compensation asserted by anyone in connection with the Agreement. Notwithstanding the foregoing, Seller's indemnity and hold harmless hereunder shall be limited and subject to the extent and limitations of Section 768.28, Florida Statutes, and the above provision shall in no way act as a waiver of Seller's sovereign immunity or as a waiver to any other defense Seller may have to such claims. If this Agreement should fail to close for any reason whatsoever, then no commission shall be due to the brokers.

E. <u>Entire Agreement</u>. This document constitutes the entire agreement between the parties, incorporating all prior agreements, and may only be amended in writing executed by both parties.

F. <u>Binding Effect</u>. This Agreement will inure to the benefit of and bind the respective successors and assigns of the parties. There are no restrictions on assignment (although assignment shall not relieve the assigning party from responsibilities under this Agreement).

G. <u>Attorney's Fees</u>. If either party prevails against the other in a legal action concerning any part of this Agreement, the successful party shall be entitled to its reasonable attorney's fees and costs connected with such action, through appellate and bankruptcy proceedings, in addition to all other recovery or relief. Costs shall include all deposition costs and expert fees, even if not used at trial.

H. <u>Governing Law</u>. This Agreement shall be governed and enforced in accordance with Florida law, with venue elected to be in Pinellas County.

I. <u>Construction of Terms</u>. Descriptive headings are for convenience only and shall not control or affect the meaning or construction of any provision. Any ambiguities of this Agreement shall be construed fairly and equitably regardless of the participation of either party in drafting this Agreement. The reference in terms to gender and number shall be modified as may be appropriate.

J. <u>Severability</u>. In case any of the provisions of this Agreement shall for any reason be held to be invalid, illegal, or unenforceable in any respect, the remaining provisions shall remain in effect and the Agreement be performed in a fair and equitable manner as to any uncertainties arising from the unenforceable provisions.

K. <u>Relationship of Parties</u>. The parties are not partners or business associates in any form, as they are solely dealing at arms length as Seller and Buyer with respect to the Property.

L. <u>Dates</u>. If any date provided for in this Agreement falls on a Saturday, Sunday, or holiday, the date shall be the next business day.

M. <u>Recording</u>. Buyer may record this Agreement.

15. <u>**Radon Gas.**</u> Buyer hereby acknowledges having received the following notification pursuant to Florida Statute 404.056:

RADON GAS: Radon is a naturally occurring radioactive gas that, when it has accumulated in a building in sufficient quantities, may present health risks to persons who are exposed to it over time. Levels of radon that exceed federal and state guidelines have been found in buildings in Florida. Additional information regarding radon and radon testing may be obtained from your county public health unit.

16. <u>Signatures</u>. The parties have signed this Agreement as of the Effective Date, which shall be the last date this Agreement is executed by either party as indicated beneath their signatures. This Agreement may be signed in several counterparts and, together, shall constitute one document. Facsimile copies of signatures or digitally scanned signatures are acceptable to evidence complete agreement.

BUYER:

R.K.M. Development Corp.

SELLER:

Board of Trustees, St. Petersburg College

William C. Lloyd

By

Title: _____

Title:

Date: _____

Date: _____

EXHIBIT A

The following Tax Parcel ID Number in Pinellas County, Florida:

19-27-16-89442-0491 consisting of approximately 0.80 acres or 35,031 square feet.

Agenda Item VI-B

February 19, 2013

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: Selection for Construction Manager at Risk Services, Construct Midtown Center, Site 16

Authorization is requested to approve the selection for the Construction Manager at Risk Services for Construction of the Midtown Center, Site 16 under the Professional Services Selection Process and following the current process for selection under the Competitive Negotiations Act, F.S. 287.055.

The screening committee was comprised of the following members: Dr. Charles Colquitt, Board Appointee and Community Member; Liz Sembler, Board Appointee and Community Member; Tony Stallworth, Facilities Consultant; Dr. Tonjua Williams, Vice President – Academic & Student Affairs; Dr. Kevin Gordon, Provost, Downtown/Midtown Center; and Dr. Joseph Leopold, Director, Library. Dr. Goliath Davis, an additional appointee fo the Board of Trustees withdrew after the process had begun. The College received sixteen (16) submittals and interviewed seven firms from those received. The process used to evaluate the submittals has been used previously by the College and had been reviewed fully as a part of last year's Operational Audit by the Office of the Auditor General. Based on the screening committee's evaluation and interviews, three firms were recommended to the President for further evaluation. These top three firms were interviewed by the President for final review and recommendation to the Board.

In accordance with the Board-approved selection process, I hereby make the following recommendation in ranked order:

- 1. Gilbane Building Company
- 2. Skanska USA Building Inc.
- 3. Peter R. Brown Construction

All three firms are highly qualified and had worked diligently to meet the Board's directives to provide a significant (30%) participation by local minority subcontractors in the construction of the facility. To its credit, Gilbane Building Company, as part of its support of this goal has committed to place 33% of the CM Construction Phase Fee at risk for a credit to SPC if the project does not achieve the college's 30% goal for SBE participation.

The impact to the local community will be emphasized through a multi-level approach:

- 1. Direct subcontracting with local trade contractors with bid packages of an appropriate scope and complexity
- 2. Incorporating local trade contractors as sub-tier subcontractors under prime subcontractors for more complex and larger bid packages
- 3. Local small businesses to provide miscellaneous services such as photocopying, office supplies, photography, catering, etc.
- 4. In addition, Gilbane is partnering with Irok Construction who will be providing staff and sharing in the CM Construction Phase Fee with Gilbane.

A 30% participation goal will impact the local market by some **\$2.6M to \$3.1M** in payments to local minority subcontractors.

Authorization is requested for the following:

- To approve the ranking as recommended and to proceed with contract negotiations with the #1 ranked firm;
- Should the negotiations not result in a contract deemed to be fair, competitive and reasonable for a Guaranteed Maximum Price, negotiations will be undertaken with the second most qualified firm and thereafter, if necessary, with the third.

William D. Law, Jr., President; Doug Duncan, Senior Vice President, Administrative/Business Services and Information Technology, recommend approval.

jp0103131

Board of Trustees Construction Manager at Risk Project Approval Steps and Criteria

Board authorization for proposed construction projects will be requested in conjunction with the following stages of the planning and construction process:

Project Name: Midtown Education Center

| Pre-design phase | Date Approved: | |
|---|--|--|
| Step 1- Approval of: | October 16, 2012 (revised from original) | |
| a. Project scope,b. time frame for construction,c. funding source(s) and;d. project budget | | |
| Step 2 (if needed)- Site survey or spot survey approval | November 20, 2012 | |
| Design phase* | | |
| Step 3- Architectural Services Request for Qualifications authorization | April 26, 2011 | |
| Step 4- Recommendation to award Architectural Services approval | July 19, 2011 | |
| Step 5- Construction Manager at Risk Request for Qualifications authorization | November 20, 2012 | |
| Step 6- Recommendation to award Construction Manager at Risk services approval | Recommended February 19th, 2013 | |
| Construction phase* | | |
| Step 7- Project cost change orders in excess of statutory financial thresholds (if needed) | | |
| Step 8- Final project completion and accounting approval | | |

*State Requirements for Educational Facilities 4.1(5) Construction Management/Total Program Manager (CM/TPM) provides: "To expedite project workflow and efficiently manage this type of contract, it is recommended that, where CM/TPM contracts are utilized, boards delegate project decision-making authority to the college president pursuant to Sections 1013.371(1)[©] and 1013.48, F.S., for survey approved projects including: submission of project documents for approval; award of contracts consistent with board pre-approved project time, scope, and budget; and approval of change orders within pre-established amounts".

February 19, 2013

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: Faculty Contract Recommendations

The faculty contract review process was completed on February 4, 2013. The deans or program directors addressed a number of factors associated with each faculty member as part of the decision making process. These factors include:

- Student Surveys of Instruction
- Grade Distributions
- Student Course Success Rates
- Participation in Out of Class Support for students
- Professional Development
- Class Observations
- Strengths
- Teamwork
- Areas for Improvement

The information associated with each faculty member was presented to the Senior VP of Academic and Student Affairs and followed by a subsequent meeting with the president to ensure a thorough review was accomplished.

One hundred and thirty one faculty were reviewed. Of these 97 were for annual contracts, 33 continuing contracts and 1 six month contract. The results are attached with:

- 99 approved for annual
- 23 continuing
- 5 delayed decisions until May
- 1 six month contract
- 1 resignation
- 2 non-renews

The review process proved to be most encouraging. Faculty are focused on the teaching and learning process and are employing a variety of methodologies to improve the engagement of their students. The Faculty Cohort support process operated by the Center for Excellence in

Teaching and Learning is also providing strong results as faculty work to adopt their teaching expertise to our current students. Clearly, our ongoing efforts to attract recruit quality faculty are paying dividends.

Anne Cooper, Senior Vice President for Academic and Student recommends approval.



Excellence in Teaching and Learning



New Legislation Regarding Employment Contracts for Full-Time Faculty

Includes:

- 1. Award of continuing contract
- 2. Post-award performance reviews

Criteria:

- 1. Measured effectiveness in performance of duties
- 2. Continuing professional development
- 3. Currency and scope of subject matter knowledge
- 4. Relevant feedback from students, faculty and employers of students
- 5. Service to the department, college and community

Pilot Project CETL and 2nd Year Faculty Cohort

Generated Teaching Competencies

- 1. Instructional Proficiency
- 2. Professional Development
- 3. Assessment
- 4. Student Support Services/Resources
- 5. Professional Service Contribution
- 6. Interpersonal Skills

Create portfolio with documentation for each competency



- Pursuing Ph.D. in Higher Education and Leadership
- Proposed Study Abroad in Greece: Cultural Past and Present Revealed through Statistics

Jackie Copeland St. Petersburg Gibbs Campus Mathematics

St. Petersburg College



- Received award for Exceptional Dedication to Veterans Student Services
- Serves as volunteer tutor 2 hours per week for Student Veterans and 2 hours per week at Learning Support Center

Tina March St. Petersburg Gibbs Campus Communications

St. Petersburg College



- Created HSA Student Capstone Orientation and APA-style Guide
- Held Lead role in organizing HSA Fall Adjunct Day and creating Adjunct Handbook

Floyd Butz Health Education Center College of Health Sciences



- Chair of College of Education Student Success Committee
- FGO representative for Clearwater Campus
- Co-sponsor of Phi Delta Kappa
- CETL Board Member

Andrea Kelly Tarpon Springs Campus College of Education

St. Petersburg College



- Completed Ph.D. in Theology and Apologetics
- Orchestrated Interfaith Summit at Seminole Campus
- Men Achieving Excellence
 Coordinator

Steve Sinclair Seminole Campus Humanities

St. Petersburg College



- Men Achieving Excellence
 Coordinator
- Mentor for new minority students at Tarpon Springs
- Serves as advocate for SPC at community organization meetings

Randy Lightfoot Tarpon Springs Campus Social Sciences

St. Petersburg College



- Implemented "Success Contracts" for students who have to repeat Human Anatomy and Physiology courses
- Improves student success rates in the sciences, particularly minority student success rates

Daniel Schroeder Downtown/Midtown Campus Natural Science

St. Petersburg College



- Travels to Midtown Campus to teach Computer Foundation course
- Serves as role model and builds interest in Computer and Technology disciplines within minority student population

Adrian Tillman Tarpon Springs Campus College of Computer & Information Technology Approval is sought for the following personnel actions concerning faculty members to receive continuing contract (2013-2014), contingent upon the successful completion of satisfactory service in the current contract year and official documentation of successful completion of required graduate coursework.

| Effective Date | Name | Title | Department |
|-------------------|------------------------|---------------------|--------------------------|
| 08/15/2013 | Archbold, Lisa | Instructor | Nursing HC |
| 08/15/2013 | Daum, Michael | Instructor | Letters TS |
| 08/01/2013 | DeGraw, Irving H. | Instructor-12 month | BA Programs/UPC |
| 08/15/2013 | East, Carleah G | Instructor | Social Science SPG |
| 08/01/2013 | Eldridge, Deborah C | Instructor-12 month | BA Programs/UPC |
| 08/15/2013 | Gautam, Vibhor | Instructor | Mathematics SPG |
| 08/15/2013 | Gonzalez, Alison A. | Instructor | Mathematics SPG |
| 08/15/2013 | Greer, Sheree L. | Instructor | Letters SE |
| 08/08/2013 | Hoogewerf, Sally A. | Instructor | Provost SPG |
| 08/15/2013 | Hughes, Stacey R | Instructor | Letters SPG |
| 08/15/2013 | Kennedy, Daiva | Instructor | Mathematics SPG |
| 08/15/2013 | King, Laurie A | Instructor | Ethics SE |
| 08/15/2013 | Klinedinst,J ames A | Instructor | Mathematics SE |
| 08/15/2013 | Lightfoot, Randolph | Instructor | Social Science TS |
| 08/15/2013 | McQuaig, Shannon M. | Instructor | Natural Science CL |
| 08/15/2013 | Monroe, David M | Instructor | Ethics TS |
| 08/01/2013 | Philippe, Thomas W | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Sauers, Amy C. | Instructor-12 month | BA Programs/UPC |
| 08/15/2013 | Stark, Brandy B | Instructor | Fine & Applied Arts DTMT |
| 08/15/2013 | Stickrath, Kelli L | Instructor | Natural Science TS |
| 08/15/2013 | Tersteegen, Kirsten S. | Instructor | Letters SE |
| 08/15/2013 | Thomas, Tracy G | Instructor | Letters TS |
| 08/15/2013 | Williams, John R. | Instructor | Natural Science CL |

Doug Duncan, Senior Vice President, Administrative/Business Services & Information Technology; Anne M. Cooper, Senior Vice President, Academic & Student Affairs; and Patty Curtin Jones, Vice President, Human Resources & Public Affairs; recommend approval.

ssw020713

Approval is sought for the following recommended personnel actions concerning faculty appointments, which shall be enforced via contracts for employment.

Recommend appointment to a contract (2013-2014), contingent upon the successful completion of satisfactory service in the current contract year. These individuals are serving in a 12-month position.

| Effective Date | Name | Title | Department |
|----------------|-------------------------|----------------------|-----------------------------|
| 08/01/2013 | Afienko,Kenneth J | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Andrasik, Stephen J. | Academic Dep. Chair | Natural Science SPG |
| 08/01/2013 | Barnes, Jonathan A | Academic Dep. Chair | Fine & Applied Arts CL |
| 08/01/2013 | Bennett,Rachel | Instructor-12 month | Baccalaureate Programs/UPC |
| 08/01/2013 | Biggs,Marie C | Instructor-12 month | College of Education |
| 08/01/2013 | Brannon,Brandi L | Instructor-12 month | Nursing HC |
| 08/01/2013 | Brown,Geoffrey K. | Instructor-in-Charge | Fire Science AC |
| 08/01/2013 | Butz,Floyd | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Chmielewski, Thomas | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Coronel, Rina S. | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | De Chachula, Desiree | Instructor-12 month | College of Education |
| 08/01/2013 | Delgato, Margaret | Academic Dep. Chair | Natural Science TS |
| 08/01/2013 | Fernandez,Roberto | Academic Dep. Chair | Business Technologies TS |
| 08/01/2013 | Fullard,Jeani Z | Instructor-12 month | College of Education |
| 08/01/2013 | Gilleland, Amanda H | Academic Dep.Chair | Natural Science SE |
| 08/01/2013 | Grinnell,Lynn Dean | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Harper, Mary E. | Instructor-12 month | College of Education |
| 08/01/2013 | Heinze, Naesothan D. | Instructor-12 month | College of Computer & IT CL |
| 08/01/2013 | Hughes, Michael E. | Instructor-12 month | Criminal Justice AC |
| 08/01/2013 | Kelly,Andrea J | Instructor-12 month | College of Education |
| 08/01/2013 | Kolonoski,David E. | Academic Dep.Chair | Mathematics SPG |
| 08/01/2013 | Kronschnabl, Jeffery P. | Instructor-in-Charge | BA Programs/UPC |
| 08/01/2013 | Louis,Louisana | Instructor-12 month | Nursing HC |
| 08/01/2013 | Mossgrove, Terri Lynn | Instructor-12 month | College of Education |
| 08/01/2013 | Murphy,Beth E | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Norman,Anja | Academic Dep.Chair | Social Science CL |
| 08/01/2013 | Oakley,Shirley | Academic Dep.Chair | Letters CL |
| 08/01/2013 | Odutola, Adeniji A. | Academic Dep Chair | Ethics SPG |
| 08/01/2013 | Osovitz, Michelle M. | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Panuthos, Nicolle E | Academic Dep. Chair | Business Technologies SE |
| 08/01/2013 | Poulin, Michael T. | Instructor-12 month | College of Education |
| 08/01/2013 | Rasor, Carol E. | Instructor-12 month | BA Programs/UPC |

| 08/01/2013 | Rewald, Charles P. | Instructor-12 month | Nursing HC |
|------------|---------------------|---------------------|-------------------------------|
| 08/01/2013 | Risberg, Chrissy | Academic Dep. Chair | College of Computer& IT TS/SE |
| 08/01/2013 | Shellhorn,Wendy L | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Smith, Christine M. | Academic Dep. Chair | College of Computer & IT CL |
| 08/01/2013 | Stumpe,Kim M. | Academic Dep. Chair | Natural Science CL |
| 08/01/2013 | Trede, Teri A | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Watkins, Nancy A. | Instructor-12 month | College of Education |
| 08/01/2013 | Watts, Dorraine D. | Instructor-12 month | BA Programs/UPC |
| 08/01/2013 | Wilber,Robin S. | Instructor-12 month | BA Programs/UPC |
| | | | |

Recommend appointment to a contract (2013-2014), contingent upon the successful completion of satisfactory service in the current year based on 36 ECH.

| Effective Date | Name | Title | Department |
|----------------|--------------------------|-------------------|-----------------------------------|
| 08/15/2013 | Adams, Michael P | Instructor | Natural Science SE |
| 08/15/2013 | Albrecht, Osiris P. | Instructor | Foreign Language SE |
| 08/15/2013 | Beck,Sandra K | Instructor | College of Computer & IT SPG |
| 08/15/2013 | Brzezinski,Sara B | Instructor | Social Science SE |
| 08/15/2013 | Bueller, Daniel J | Instructor | Mathematics SPG |
| 08/15/2013 | Clem,Angela S | Instructor | Nursing HC |
| 08/15/2013 | Cools-Stephens, Janice A | Instructor | Letters SPG |
| 08/15/2013 | Cooper, Thomas S | Instructor | Fine & Applied Arts CL |
| 08/15/2013 | Copeland, Jacqueline | Instructor | Mathematics SPG |
| 08/15/2013 | Culligan Jr, Michael P | Instructor | Social Science CL |
| 08/15/2013 | DeNooyer,Ericjan D | Instructor | Mathematics SE |
| 08/15/2013 | Escott,Maria | Instructor | Letters SE |
| 08/15/2013 | Everhart,Colin M | Instructor | Natural Science CL |
| 08/15/2013 | Farmer, Buddy Brisco | Instructor | Mathematics SPG |
| 08/15/2013 | Fleming,William J | Instructor | Social Science SPG |
| 08/15/2013 | Garrison, Christopher M | Instructor | Nursing HC |
| 08/15/2013 | Gibbons,Linda K. | Instructor | Nursing HC |
| 08/15/2013 | Goergen,Erin M | Instructor | Natural Science CL |
| 08/15/2013 | Grano,Barbara S. | Acting Instructor | Ethics SE |
| 08/15/2013 | Greenberg, David L | Instructor | Fine & Applied Arts SPG |
| 08/15/2013 | Hamilton,Ronald Shane | Instructor | College of Computer & IT DT |
| 08/15/2013 | Italia,Mark P | Instructor | Natural Science CL |
| 08/15/2013 | Jahosky, Michael T. | Instructor | Fine & Applied Arts SPG |
| 08/15/2013 | Johnson-Lewis,Erika L | Instructor | Fine & Applied Arts CL |
| 08/15/2013 | Joyce,Dawn M. | Instructor | Letters CL |
| 08/15/2013 | Karol,Amy L | Instructor | Letters TS |
| 08/15/2013 | Kishbaugh,Greta L | Instructor | Business Administration SE |
| 08/15/2013 | Krueger,Amy | Instructor | Dental Hygiene HC |
| 08/15/2013 | Laporte, Anthony M. | Instructor | Fine & Applied Arts SE |
| 08/15/2013 | Lindsey, Jeffrey T. | Instructor | Emergency Med. Services HC |

| 08/15/2013 | March, Tina L | Instructor | Letters SPG |
|------------|-------------------------|------------|-----------------------------|
| 08/15/2013 | Mazarakis,Pelagia J | Instructor | Mathematics SE |
| 08/15/2013 | Muehl,Nathan | Instructor | Fine & Applied Arts SPG |
| 08/15/2013 | Nelson,Nydia N | Instructor | Mathematics SPG |
| 08/15/2013 | Newsom, Tara | Instructor | Social Science SPG |
| 08/15/2013 | Olsen,Sharon A. | Instructor | Social Science TS |
| 08/15/2013 | Restom Gaskill, Teresa | Instructor | Natural Science SPG |
| 08/15/2013 | Ringold,Carol A | Instructor | Letters SPG |
| 08/15/2013 | Robinson, Diane J | Instructor | Nursing HC |
| 08/15/2013 | Rosengarten, Shelbey C | Instructor | Letters SE |
| 08/15/2013 | Rupp,Marc | Instructor | Nursing HC |
| 08/15/2013 | Scanlon, Maura A | Instructor | Natural Science SE |
| 08/15/2013 | Schneider, Virginia B | Instructor | Nursing HC |
| 08/15/2013 | Schroeder, Daniel C | Instructor | Natural Science SPG |
| 08/15/2013 | Seetharaman,Shyam | Instructor | Social Science SPG |
| 08/15/2013 | Sinclair, Steven G. | Instructor | Fine & Applied Arts SE |
| 08/15/2013 | Smisek, Maria G. | Instructor | Nursing HC |
| 08/15/2013 | Stephanides, Ourania Z. | Instructor | Mathematics TS |
| 08/15/2013 | Thomas,Kory B | Instructor | Physical Therapist Asst HC |
| 08/15/2013 | Tillman,Adrian D | Instructor | College of Computer & IT TS |
| 08/15/2013 | Torres, Renee S. | Instructor | Mathematics CL |
| 08/15/2013 | Unger, Matthew | Instructor | Fine & Applied Arts SE |
| 08/15/2013 | Valentine, Anthony G | Instructor | Speech - Letters SPG |
| 08/15/2013 | Vanauken, Todd R | Instructor | Radiography HC |
| 08/15/2013 | VanBourgondien,Martin | Instructor | Emergency Med. Services HC |
| 08/15/2013 | Vaughan,John T. | Instructor | Natural Science SPG |
| 08/15/2013 | Worden, James G | Instructor | Natural Science SPG |
| 08/15/2013 | Wu,Xin | Instructor | Natural Science SPG |
| 08/15/2013 | Zombek,Angela M | Instructor | Social Science CL |

Doug Duncan, Senior Vice President, Administrative/Business Services & Information Technology; Anne M. Cooper, Senior Vice President, Academic & Student Affairs; and Patty Curtin Jones, Vice President, Human Resources & Public Affairs; recommend approval.

ssw020713

February 19, 2013

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: American Association of Community Colleges — Plus 50 Encore Completion Program

Confirmation is sought for a proposal that was submitted, subject to Board of Trustees' approval, to the American Association of Community Colleges by St. Petersburg College for the Plus 50 Encore Completion (Plus 50) grant opportunity. The Plus 50 Encore Completion Program supports community colleges looking to start, enhance or expand their existing workforce training programs for students 50 years of age and older. The goal of this program is to provide opportunities for this often underrepresented population to obtain the degrees, certificates, and non-for-credit credentials sought by employers in high-demand, high growth fields. Permission is also sought to accept funding for this proposal, if awarded, and enter into any amendments, extensions or agreements, as necessary, within the original intent and purpose of the grant.

St. Petersburg College's program strategy is to equip current healthcare professionals, over the age of 50, with the skills and training necessary to compete in today's workforce. This program will develop an Advanced Technical Certificate (ATC) in Healthcare Data Management, in response to the growing need for professionals trained in the area of electric health records. This ATC will offer targeted career opportunities through short-term training, geared specifically toward the older adult professional population. Additionally, professional development will be provided to faculty and staff on how to best support and instruct this student population.

The estimated period of performance will be from July 1, 2013 through June 30, 2016. The total project budget is \$15,000 over three years. An estimated total of \$53,367 (or \$17,789 per year for 3 years) will be contributed as in-kind resources by SPC representing about 18% of the Health Information Management Program Director's salary and fringe benefits. See attached Information Summary for additional information.

Suzanne L. Gardner, Acting General Counsel; Anne Cooper, Senior Vice President, Academic and Student Affairs; and Phil Nicotera, Provost, Health Education Center, recommend approval.

Attachment js0206132

BOT/CABINET INFORMATION SUMMARY GRANTS/RESTRICTED FUNDS CONTRACTS

| Date of BOT Meeting: | February 19, 2013 |
|----------------------------------|---|
| Funding Agency or Organization: | American Association of Community Colleges |
| Name of Competition/Project: | Plus 50 Encore Completion Program |
| SPC Application or Sub-Contract: | SPC Application |
| Grant/Contract Time Period: | Start: 7/1/13 End: 6/30/16 |
| Cabinet Member: | Anne Cooper |
| Manager: | Sheila Newberry |

Focus of Proposal:

St. Petersburg College's Plus 50 Encore Completion program will expand workforce opportunities for current healthcare professionals looking to further their career and/or receive training in Health Information Management. This program will target individuals over 50 years of age needing to advance their skills in order to say competitive in this ever changing field. Short-term training will be provided to participants through an Advanced Technical Certificate (ATC) in Healthcare Data Management. The ATC will use a hybrid of online and/or in-class instruction to accommodate the time constraints often faced by working professionals. Students will participate in six, 3-credit, eight-week courses that build upon previous work experience and knowledge. SPC will also develop professional development opportunities for faculty and staff on how to best support and instruct this student population.

Budget for Proposal:

(Only Major categories—This is an estimated budget description based on expected funding and services. Specific budget categories may vary as the funding amount and/or services change.)

| Personnel & Fringe | \$ 3,000 |
|-------------------------------|---------------|
| Supplies | \$ 1,300 |
| Travel | \$ 1,500 |
| Other – Evaluation | \$ 600 |
| Other – Curricula Development | \$ 4,350 |
| Other – Marketing & Outreach | \$ 3,500 |
| Admin (5%) | <u>\$ 750</u> |
| Total Budget | \$ 15,000 |

Funding:

| Total proposal budget: (includes amount requested from funder, cash and in-kind | | |
|---|------------------|-------------|
| matches listed below) | \$ 68,367 | |
| Total amount from funder: | \$ 15,000 | |
| Amount/value of match: | Cash: | N/A |
| Dequired motoh or cost charing: | In-kind: No X | , |
| Required match or cost sharing: | | |
| Voluntary match or cost sharing: | No | Yes X |
| Source of match/cost sharing: | SPC Sala | ry & Fringe |
| Negotiated indirect cost: | N/A | |
| (Fixed) administrative fee: | N/A | |
| Software/materials: | N/A | |
| Equipment: | N/A | |
| Services: | N/A | |
| Staff Training: | N/A | |
| FTE: | N/A | |
| Other: | N/A | |

College Goals and Institutional Initiatives Addressed:

| College Goal: | I. | Expand student access to baccalaureate programs, bachelor's degrees, graduate degrees, and careers; as well as prepare lower division students for successful transfer into baccalaureate programs through the associate in arts and articulated associate in science degree program". With the Institutional Initiative being "Develop and implement new academic program/program tracks in high- demand areas in response to workplace and student demands. |
|--|----|--|
| Institutional Initiative(s): | 1. | Develop and implement new academic program/program tracks in high-demand areas in response to workplace and student demands. |
| SPC 7/24 Initiative Addressed: Focus: | 5. | One College |

Workforce and Community Mission

Observable Project:

February 19, 2013

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: Progress Energy – SunSense Schools Solar Program

Confirmation is sought for a proposal that was submitted, subject to Board of Trustees' approval, to Progress Energy by St. Petersburg College for the SunSense Schools Solar Program grant. The purpose of the SunSense Schools Solar program is to assist the College in saving energy and significantly reducing electricity costs by installing solar panels at its campuses, while also serving as an educational tool for students and the community. The program provides reimbursement for the purchase of a 100KW solar photovoltaic (PV) system. Permission is also sought to accept funding for this proposal, if awarded, and enter into any amendments, extensions or agreements, as necessary, within the original intent and purpose of the grant.

It is proposed that the new solar technology will be installed at two SPC campuses, Clearwater and Seminole, to complement existing energy and academic programs at those sites. At the Clearwater Campus, a thin film solar technology will be installed that will match the current thin film system on the LEED Gold certified NM building. This system will be used as a research tool by the Engineering department and SPC's chapter of the Florida Engineering Society. At the Seminole Campus, solar panels will be used to accompany the new urban sustainability education facility used for energy saving technology demonstration and training. The utilization of these two technologies will provide students a rich research foundation to compare and contrast the two solar technologies.

The estimated period of performance will be from June 1, 2013 through December 31, 2013. The total estimated project budget is \$515,803 over seven months. See attached Information Summary for additional information.

Suzanne L. Gardner, Acting General Counsel; Doug Duncan, Senior Vice President, Administrative/Business Services and Information Technology; and Jim Waechter, Associate Vice President, Facilities Planning & Intuitional Services, recommend approval.

Attachment js0206132

BOT/CABINET INFORMATION SUMMARY GRANTS/RESTRICTED FUNDS CONTRACTS

| Date of BOT Meeting: | February 19, 2013 |
|----------------------------------|--------------------------------|
| Funding Agency or Organization: | Progress Energy |
| Name of Competition/Project: | SunSense Schools Solar Program |
| SPC Application or Sub-Contract: | SPC Application |
| Grant/Contract Time Period: | Start: 6/1/13 End: 12/31/13 |
| Cabinet Member: | Doug Duncan |
| Manager: | Diana Wright |

Focus of Proposal The purpose of the SunSense Schools Solar program is to assist the College in saving energy and significantly reducing electricity costs by installing solar panels at its campuses, while also serving as an educational tool for students and the community. The program provides reimbursement for the purchase of a 100KW solar photovoltaic (PV) system.

It is proposed that the new solar technology will be installed at two SPC campuses, Clearwater and Seminole, to complement existing energy and academic programs at those sites.

At Clearwater, it is proposed that a 43.6KW thin film system will be installed in front of the LEED Gold certified Natural Science, Mathematics and College of Education (NM) building, adjacent to the proposed Progress Energy electric vehicle car charging stations which are expected to be installed by the summer of 2013. This will increase the solar power production already present on the Clearwater Campus. All solar systems are used as a research tool by the Engineering department and SPC's chapter of the Florida Engineering Society.

At Seminole, it is proposed that a 55KW solar panel system will be installed just west of the Pharmacy (PH) building. As an educational tool, this system will complement the Environmental Science Technology A.S. program, the Natural Habitat Park and Environmental Center and the proposed Net-Zero Green Living Demonstration Center funded by the Department of Energy.

SPC will be responsible for providing teachers and students with interactive learning experiences. SPC will also ensure the visibility of the project to the community through signage and outreach efforts. It is projected that the solar installations will be completed by Fall 2013.

Budget for Proposal:

(Only Major categories—This is an estimated budget description based on expected funding and services. Specific budget categories may vary as the funding amount and/or services change.)

| Contractual Total Budget | <u>\$ 515,803</u> \$ 515,803 |
|--|---|
| Funding: Total proposal budget: (includes amount requested from funder, cash and in-kind matches listed below) | \$ 515,803 |
| matches listed below) | \$ 515,805 |
| Total amount from funder: | \$ 515,803 |
| Amount/value of match: | Cash: N/A |
| Description description and the size of | In-kind: N/A |
| Required match or cost sharing: | No X Yes |
| Voluntary match or cost sharing: | No X Yes |
| Source of match/cost sharing: | N/A |
| Negotiated indirect cost: | N/A |
| (Fixed) administrative fee: | N/A |
| Software/materials: | N/A |
| Equipment: | N/A |
| Services: | N/A |
| Staff Training: | N/A |
| FTE: | N/A |
| Other: | Estimated electrical bill savings of \$16,000 |
| | per year |
| College Goals and Institutional Initiatives Add | ressed: |
| College Goal: | VIII. Build/Acquire and maintain a high- quality infrastructure, including |

Institutional Initiative(s):

VIII. Build/Acquire and maintain a highquality infrastructure, including technology, facilities and equipment to meet student and community needs;

1. Continue to provide quality facilities, equipment, and services to meet student and community needs through facilities planning, physical plant and institutional services, maintenance, construction, partnerships and energy management.

SPC 7/24 Initiative Addressed: Focus:

5. Increased Public Accountability

Observable Project:

Facilities

BOT – February 19, 2013 – Information Summary Progress Energy SunSense Schools Solar Program Attachment - Page 2 February 19, 2013

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: 2011/12 and 2012/13 Sanitation, Casualty and Safety Inspection Reports

Approval is sought by the Board of Trustees to certify the attached 2011/12 and 2012/13 Sanitation, Casualty and Safety Inspection Reports.

Florida Statutes, Chapter 1013, Educational Facilities requires that all educational facilities be inspected at least once during each fiscal year to determine compliance with the fire safety, casualty safety, and sanitation standards and that these inspections be certified by the Board of Trustees.

- Inspections of all 2.5 million square feet of SPC facilities were conducted in the fall of 2011 and again in 2012;
- Forty (40) deficiencies were noted in the 2011 inspection and thirty five (35) deficiencies were noted in the 2012 report;
- All deficiencies were subsequently corrected in a timely manner;
- The 2011 report was not previously submitted for Board certification due to direction from the Risk Management Consortium that such certification was not necessary. This direction was subsequently reversed. Hence, both reports are being brought forward for certification.

Doug Duncan, Senior Vice President, Administrative/Business Services & Information Technology and Jim Waechter, Associate Vice President for Facilities Planning & Institutional Services, recommend approval.

Attachment

ag0201131

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 |
|---|
| College Facility: St. Petersburg College FIRE DISTRICT: St. Petersburg SCHOOL / FACILITY: Allstate Center # OF SERIOUS FIRE SAFETY VIOLATIONS _0 ADDRESS: 3200 34th St. S, St Petersburg. FL 33711 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS _6 |
| Jeb W. Bynum Municipal Fire Safety Inspector) November 15, 2011 Jeb W. Bynum Municipal Fire Safety Inspector) November 15, 2011 Inspection Date COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED Inspection Date FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED Inspection Date FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED Inspection Date |
| 1 1 1 - 1 |
| <u>LOCA TION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> _YESNO |
| Approval of Reports by Board (Including Letter)YESNO |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Facility administrator name from the province of the Discovered associate Vice President for FPIS Facility administrator title |

| CODE NUMBER | Insp. Initials | SREF 2011/2012 | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
|--------------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|-------------|
| | | Location, Deficiency Description | | | | Ţ. |
| | Вſ | 72 PSF Bldg: No deficiencies noted | | | | - |
| | ВĻ | 74 Grounds Storage: No deficiencies noted | | | | 7 |
| EEDC 1 11 1 5 2 2 | Ē | 75-108: Smoke door needs adjustment | 0 | 6-30-12 | 11/15/11 | m |
| FFC 1. 11.1.3.2.2 | 3 | 75 1080: Smoke door needs adjustment - Edit Room | 0 | 6-30-12 | 11/15/11 | 4 |
| FFPC 1, 4.5.8.1 | <u>n</u> ! | 73-1005. Stilluke dout receve adjournent construction | 0 | 6-30-12 | 11/15/11 | 5 |
| FFPC 1, 4.5.8.1 | <u>ع</u> ا | | 0 | 6-30-12 | 10/1/12 | Q |
| FFPC 101, 7.2.13.8 | <u>۳</u> | 75 - Elevator called wrong monitoring company | 0 | 6-30-12 | 11/22/11 | 7 |
| NFPA 25, 5.1 | 9 | 75 - Riser: Quarterly NEPA 25 inspection not completed | 0 | 6-30-12 | 11/22/11 | ø |
| FFPC 1, 4.5.8.1 | 9 | 75 - Riser: Red tags x 2 on sprinkler system | , | | | 6 |
| | g | 76 FR : No defiencies noted | | | | 10 |
| | ٩ | | | | | ; ; |
| | ß | 173 FR Shed: No defiencies noted | + | | | : |
| | ٩ | 174 Storage shed: No defiencies noted | -+- | | | 7 7 |
| | ٩ | 175 Storage Shed: No defiencies noted | | | | 2 |
| | В | | | | | 4 |
| | <u>ھ</u> | | - | | | <u>د</u> |
| | <u> </u> | | | | | 16 |
| | 3 ⊑ | | | | | 17 |
| | <u>n</u> | | | | | 18 |
| | 9 | ANZ Bidg: No deliencies rigitad | | | _ | |
| | | | | | | |
| | - | | | | | |
| | | | | | | |
| | | | | | | _ |
| | | | | | | |
| | + | | | | | |
| | + | | | | | |
| | _ | | | | | |
| | _ | | | | | - |
| | - | | - | | | |
| | | | | | | |
| | - | | | | | |

| Line Number | - | | | | | | | | | | | | | | - | | | | _ | - | | |
|---|-----------------------|--|--|--|------|----|-------|---|---|-------|---|---|---|----|----|---|---|---|---|---|---|--|
| Ľ ۵ | ON | | | | _ | | | | | | | | | | | | | | _ | | | |
| Deficiency Corrected By | | | | | | | | | | | | _ | | | _+ | | | | | | | |
| Prior Times Cited | | | | | | - | _ | _ | | _ | | | | -+ | | | | | | | _ | |
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Allstate Center Location, Deficiency Description | No deficiencies noted | | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | 87 | | | | | +- | | | + | - | - | + | - | - | - | + | - | + | + | - | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 |
|--|
| College Facility: St. Petersburg College FIRE DISTRICT: Clearwater # OF SERIOUS FIRE SAFETY VIOLATIONS 0 SCHOOL / FACILITY: Caruth Health Education Center # OF SERIOUS FIRE SAFETY VIOLATIONS 0 ADDRESS: 7200 66th St N, Pinelias Park, FL 33781 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| Brian Webber (Municipal Fire Safety Inspector) November 15, 2011 Fire DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED November 15, 2011 Fire DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED November 15, 2011 Fire DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED November 15, 2011 Fire DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED November 15, 2011 FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (# JOINT INSPECTION) FIRE PRINTED November 15, 2011 FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (# JOINT INSPECTION) 11/22/2011 126010 SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER 11/22/2011 126010 |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> YESNO |
| Approval of Reports by Board (Including Letter)_YES_NO THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS RENTRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED U I M GECH ET J I M Weight Muture FACILITY ADMINISTRATOR NAME PRIVIED FACILITY ADMINISTRATOR NAME PRIVIED FACILITY ADMINISTRATOR NAME PRIVIED FACILITY ADMINISTRATOR NAME PRIVIED FACILITY ADMINISTRATION NAME PRIVIED |

| Line No. | | - | 7 | ო | 4 | 2 | 9 | ~ | ω | ŋ | 10 | 11 | | | | | | | | | | | | | | | | |
|--|----------------------------------|---|---|--|---|--|---|------------------------------------|---|---|----|----|--|---|------|------|---|------|---|--------|--|---|---|-------|-----------|-------|---|---|
| Date Deficiency Corrected | | | | | | | | | | | | | | | | | | | | 1/6/12 | | | | | | | | _ |
| Deficiency Corrected By | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | _ | | | | | | | | | | | | | | | | | - | | + | + | _ |
| SREF 2011/2012 Fire Safety Deficiencies - SPC Caruth Health Education Center | Location, Deficiency Description | Information Center (Thrift Store) - No deficiencies noted | | Veterinary Technology Bldg Biulding closed, not occupied, Fire Alarm panel active up to date | | Caruth Health Education Center - No deficiencies noted | | O & P Bldg : No deficiencies noted | T | Cooline Tower Blde : No definitions noted | | | Storage Sheds (x3) : no deliciencies noted | | | | | | | | Note: NFPA 25 required quarterly spinkler inspections not provided or lagged | | | | | | | |
| Insp. Initials | | BW | | ß | | Ma | Т | BW | | | | | MB MB | - | | | - | | - | | | _ | + | - | | _ | | |
| CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Line Number | | - | T | | | | | | | | | | | | | | | | | |
|--|----------------------------------|-----------------------------------|---|--|--|--|--|--|---|--|--|--|--|---|--|---|---|--|--|--|
| Date Deficiency Corrected | | | | | | | | | | | | | | | | _ | | | | |
| Deficiency Corrected By | | | | | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | _ | | | | | - | | | - | | | |
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Caruth Health Education Center | Location, Deficiency Description | All Bldgs.: No deficiencies noted | | | | | | | | | | | | | | | | | | |
| Insp. Initials | | BW / | | | | | | | | | | | | | | | | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPO STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 | AL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION MINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 | |
|--|---|---------------------------------------|
| College Facility: St. Petersburg College FIRE DISTRICT: Clearwater SCHOOL / FACILITY: Clearwater Campus 2465 Drew St. Clearwater FL ADDRESS: 2465 Drew St. Clearwater FL | # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS | 0 UIONS 8 |
| Jed W. Bynum (Mun COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) COLLEGE BOARD FIRESAFETY | Jeb W. Bynum (Municipal Fire Safety Inspector) COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED | 14, 2011 ^{v date} '205 |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) INSPECTOR ADDRESSA PLANE NUMBER SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER | 110., 009 OILIA LAILO, MICHOALINY, E CENTRE 11/22/2011 FIRE INSPECTOR CERTIFI | œ |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. nu affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | lowed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers the deficiency in an area other than an identifiable room number, the area in question will be avillion, etc. | |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> YES NO | Q | |
| Approval of Reports by Board (Including Letter)YESNO | | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Facility administrator name privited Associate Vice President for FPIS Facility administrator signature | D ACKNOWLEDGES AWARENESS OF THE DISCOVERED | |

| | İ | | | | | |
|--------------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|-------------|
| CODE NUMBER | Insp. Initials | learwater Campus | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | | Location, Deficiency Description | | | | - |
| | Ē | 31 AD / SV Bldg.: No defiencies noted | | | | 2 |
| | | | | | | ę |
| | 9 9 | 32 LI Bidg.: No deficiencies noted | | | | 4 |
| | _ | 21 TA BIMA - NA defencies noted | | | | 5 |
| | 9 | 34 LA Didg No delicitades mores | | | | 9 |
| | <u> </u> | 36 cc - 162. Blocked erress window | 0 | 6-30-12 | 12/12/11 | 7 |
| FFPC 1, 14.4.1 | | | | | | 8 |
| FFPC 1, 12.3.2.1 | 8 | 36 - 114: Repair fire stop around 2" conduit | 0 | 6-30-12 | 12/13/12 | <u>б</u> |
| | | | _ | | | 9 |
| FFPC 1, 13.7.3.2.7 | | 37-124: Fire alrm panel missing current T&I inspection certification | 0 | 6-30-12 | 1/6/12 | 11 12 |
| | | | 0 | 6-30-12 | 11/16/11 | 13 |
| FFPC 1, 4.5.8.1 | ۳ | 38-142: Emergency light non-operational | 0 | 6-30-12 | 12/13/11 | 14 |
| FFPC 1, 12.3.2.1 | 8 | 38-186: Repair fire stop around 3" conduit | | | | 15 |
| | - - | | | | | 16 |
| | ≝ | 39 MA BLDG.: No denencies noted | | | | 17 |
| | | | | | | 18 |
| | 9 | 40 CU Bldg.: No derendes noted | | | | 19 |
| | - - - - | - order - receases fire load - office | 0 | 6-30-12 | | 20 |
| FFPC 1, 1.10.19.1 | ₽ | | | | | 21 |
| | | | 0 | 6-30-12 | 1/6/12 | 22 |
| NFPA 25: 5.1 | 9 | 43-Kiser. NFPA 25 quarterly inspections not compress | | | | 23 |
| | | | | | | 24 |
| | | | | | | 25 |
| | - | | | | | 26 |
| | | | | | | 27 |
| | - | | | | | 28 |
| | | | | | | 29 |
| | | | | | | _ |

| Line Number | - | 2 | | | | | | | | | | | | | _ | | | |
|---|---------|------------------------------------|------------------------------------|--|--|------|--|--|------|------|------|---|-------|----|-------|------|-------|---|
| Date Deficiency Corrected | 1/13/12 | 5/14/12 | | | | | | | | | | | | | | | | |
| Deficiency Corrected By | 6-30-12 | 6-30-12 | | | | | | | | | | | | | | | | |
| Prior Times Cited | 0 | 0 | | | | | | | | | | | | | | | | _ |
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Clearwater Campus Location. Deficiency Description | | 35 SS: Trip hazard on west waikway | 36 LA: Trip hazard on west walkway | | | | | | | | | | | | | | | |
| Insp. Initials | ! | œ | œ | | | | | | | _ | | - | _ | +- | + | | - | - |
| CODE NUMBER SREF Ch. 5 | | 5(3)(c) | 5(3)(c) | | | | | | | | | | | | | | | |

| CODE NUMBER | Insp. Initials | SREF 2010/2011 Fire/Casualty/Sanitation Deficiencies - SPC Clearwater Campus Portables | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
|-------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|-------------|
| | | Location, Deficiency Description | | | | . |
| | Вſ | Portable 104: No deficiencies noted | | | | - |
| | B | Portable 106: No deficiencies noted | | | | 4 |
| | 8 | Portable 108: No deficiencies noted | | | | ~ |
| | ۹ | Portable 141: No deficiencies noted | | | | 1 u |
| | 9 | Portable 144: No deficiencies noted | | | | |
| | 9 | Portable 145:No deficiencies noted | | | | 1 0 |
| | <u>ھ</u> | Portable 146:No deficiencies noted | -+- | | | ~ 0 |
| | <u>а</u> | Portable 147: No deficiencies noted | - | | | • • |
| | , <u> </u> | Portable 157: No deficiencies noted | | | | თ : |
| | <u> </u> | Portable 158: No deficiencies noted | | | | 2 |
| | <u> </u> | Doutshie 150: No deficiencies noted | _ | | | ŧ |
| | <u>9</u> | rulaule 103. No deficiencies moted | | | | 12 |
| | 9 | | 0 | 6-30-12 | 11/21/11 | 13 |
| 5(1)(e)8i | ۳ | | | | | 14 |
| | 8) | Portable 162: No deficiencies noted | | | | 15 |
| | ۹ | Portable 163: No deficiencies noted | - | | | 16 |
| | ۹ | Portable 163: No deficiencies noted | | | | 17 |
| | ۹ ۹ | Portable 164: No deficiencies noted | | | | |
| | | | | | | |
| | +- | | _ | | | |
| | | | | | | |
| | | | _ | | + | |
| | +- | | | | | |
| | +- | | | | | |
| | -+ | | | | | |
| | + | | | | | |
| | | | | | | |
| | | | + | | | |
| | | | | | | |
| | - | | + | | | |
| | | | | | | |
| | +- | | | | _ | |
| | 4 | | | | | |

| ANNUAL COMPREHENSIVE STATE BOAF ADMINISTRATIVE RULE FISCAL Y | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 |
|---|---|
| College Facility: St. Petersburg College FIRE DISTRICT: St. Petersburg SCHOOL / FACILITY: Downtown 244 Second Ave. N. St Petersburg, FL | tersburg # OF SERIOUS FIRE SAFETY VIOLATIONS _0 |
| Jeb W. By COLLEGE BOA FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) | Jeb W. Bynum (Municipal Fire Safety Inspector) COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED Fire Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) INSPECTOR AL | TOR ADDRESSA PHONE NUMBER 133209 133209 11/22/2011 11/22/2011 FIRE INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | umber (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers irea other than an identifiable room number, the area in question will be |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> _YES | N |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Facility administrator name Printed Associate Vice President for FPIS Facility administrator title | Y AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED FACILITY ADMINISTRATOR SIGNATURE 1718/13 SIGNATURE DATE |

| Γ | Line No. | T | - | 2 | с | 4 | | | | | T | | | | | | | | | | | | |
|---|---------------------------------|----------------------------------|---|--|--|----------------|---|--|--|--|---|---|--|------|------|---|--|-------|---|----|---|------|---|
| | Date Deficiency Corrected | | 11/17/11 | 6/18/12 | 10/19/12 | 12/20/11 | | | | | | | | | | | | _ | | | _ | | |
| | Deficiency Corrected By | | 6-30-12 | 6-30-12 | 6-30-12 | 6-30-12 | | | | | | | | | | | | | | | | | _ |
| | Prior Times Cited | | 0 | 0 | 0 | 0 | | | | | | _ | | | | | | | | | _ | | |
| | SREF 2011/20 | Location, Deficiency Description | 01-413: Blank missing in electrical panel L-4 | 01-Flevator(s). No communications - Staff working on issue | 01. Eleveratory Certification out of date - Staff working on issue | | 01-Kise(s): Quarterly NFFA 23 hispection for completion | | | | | | | | | | | | | | | | |
| | Insp. Initials | | В, | | | | 99 9 | | | | | | | | | + | | - | - | +- | | - | |
| | CODE NUMBER | | NEPA 70. Art. 408.7 | | FFFO 1, 4.0.0.1 | FFPC 1, 11.3.4 | NFPA 25, 5.1 | | | | | | | | | | | | | | | | |

| SKEF Ch. 5 | No deficiencies noted Location, Deficiency Description | | | | - |
|------------|--|-----|----|-----|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | _ | |
| | | | | | |
| | | | | | |
| | | | -+ | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | -+ | |
| | | | _ | | |
| | | | | | |
| | | | | - + | |
| | | | | | |
| | | | | | |
| | | - + | | | |
| | | _ | -+ | | |
| | | | | | |
| | | | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 |
|---|
| College Facility: St. Petersburg College FIRE DISTRICT: Clearwater # OF SERIOUS FIRE SAFETY VIOLATIONS 0 SCHOOL / FACILITY: EpiCenter # OF SERIOUS FIRE SAFETY VIOLATIONS 0 ADDRESS: 13805 58th St N, Clearwater, FL 33760 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| ne, Melboume, FL 3294 |
| 11/22/2011 126010 SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER COLLEGE BOARD FIRE SAVE IY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers Deficiency locations will be identified by a building number followed by the room number (the area in question will be affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| St. Petersburg College has mat the requirements of F.S.S. 1013.12(2)(d): <u>X</u> _YESNO |
| Approval c ⁶ Reports by Board (Including Letter)YESNO |
| EPORT IN ITS ENTIRETY AND ACKNOWLEDGES AW |
| Associate Vice President for FPIS 1/18/13 FACULTY ADMINISTRATOR TILE |

| Line | o Z | | | 7 | с | 4 | 5 | 9 | 2 | æ | თ | 10 | 1 | 12 | 13 | 14 | | | | | | | | | | | | | | | | | |
|---|-------------------|----------------------------------|--|---|-----------------------|--|---|-----------------------|--|---|---|----|---|-------------------------|----|-----------------------|--|---|--------|--|---|---|---|---|----|---|---|------|----|------|----|---|--|
| Date | Corrected | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Deficiency | _ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Prior [| | | | | | | | | | | | | | | | | | | - | | - | | | | | | | | | | - | | |
| Contronautionada Eiro Safatu Daficiancias - SPC EpiCenter | | Location, Deficiency Description | EpiCenter Bldg. 703: Technology and Building Center, 13805 58th St N, Cleanwater, FL 33760 | | No deficiencies noted | Laircautar Bida 704 - Services Building 14025 58th St N. Clearwater, FL, 33760 | | No deficiencies noted | EniCenter Annex 3 Building (District Office), 6021 142nd Ave N, Clearwater, FL 33760 | | | | _ | / No deficiencies noted | | t N. Clearwater, r.L. | V Not Occupied, electric off, scheduled to be tom down | | | | | | | | | | | | | | | | |
| | Insp. Initials | | | | 8 | | | ^B ∎ | | | | | | M | 4 | _ | BW | _ | | | | ļ | ╞ | - | +- | ╀ | + | + | -+ | + | -+ | - | |
| | CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| CODE NUMBER SREF Ch. 5 | Insp. Initials | SREF 2011/2012 | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line |
|---------------------------|-------------------|----------------------------------|-------------------------|-------------------------------|---------------------------------|----------|
| | | Location, Deficiency Description | | | | , |
| | BW | No deficiencies noted | | | | - |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | - | | | | | |
| | | | | | | |
| | | | | | | |
| | + | | | | | |
| | | | | | | |
| | - | | | | | |
| | | | _ | - | | |
| | | | | | | |
| | | | | | | |
| | - | | | | _ | |
| | | | | | | |
| | | | | | | |
| | - | | _ | | | |
| | | | | | | |
| | ╞ | | | _ | | |
| | - | | | | | |
| | - | | | | | |
| | - | | | | - | |
| | | | | | - + | |
| | + | | | | | |
| | - | | | | | |
| | | | | | | |

.

| AUNUAL COMP S ADMINISTR | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 |
|---|---|
| College Facility: St. Petersburg College Facility: St. Petersburg College FIRE DISTRICT: Clearwater SCHOOL / FACILITY: Fire Training Center ADDRESS: 5005 126th Ave N, Clearwater, FL 33762 | T: Clearwater # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) | a Lane, Melb 011 |
| SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER LOCATION: Deficiency locations will be identified by a building number followed by the affixed above the door leading into that particular room. Or if the deficiency | IGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER COLLEGE BOARD FIRE SAFETY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER LOCATION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers afficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers afficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers afficiency locations will be identified by a building number for an area other than an identifiable room numbers are usually the f.I.S.H. numbers |
| specifically identified. For example, Tressoux, freu mouse, Faviliou, eco | |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): \underline{X} YES | <u>c</u> yes No |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Facium Moministration NAME PRINTED ASSOCIATE VICE President for FPIS SIGNATURE DATE Facium Administration Thue Date | ENTRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED FACILITY ADMINISTRATION SIGNATURE I 2 1/18/13 SIGNATURE DATE |

| Prior Deficiency Date Line Times Corrected Deficiency No. Cited By Corrected | - (| 1 m | | | | | | | | | | | | | | | | | | |
|--|-----|-----|--|--|------|------------|---|---|---|---|----|---|--|------|---|---|---|---|---|---|
| SREF 2011/2012 Fire Safety Deficiencies - SPC Fire Training Center Location, Deficiency Description | | | W 1703 Training Tower: No deficiencies noted | | | | | | | | | | | | | | | | | |
| Insp. Initials | BW | BW | BW | | | _ | + | + | + | + | +- | ╞ | | | - | + | + | ╀ | ╀ | + |
| CODE NUMBER | | | | | | | | | | | | | | | | | | | | |

| BM 101 Petrotes Learning Lat: No definition Definition 1 1 1 BM 101 Petrotes Learning Lat: No definition total 1 1 1 1 BM 101 Petrotes Learning Lat: No definition total 1 1 1 1 BM 103 Petrotes Officer. 104 Petrotes Classioners indications 1 1 1 1 BM 123 Petrotes Classioners indications 1 1 1 1 1 1 P 1< | CODE NUMBER | Insp. Initials | SREF 2011/2012 Fire/Casualty/Sanitation Safety Deficiencies - SPC Fire Training Center Portables | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
|---|-------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|-------------|
| 101 Constate Learning Late: No deficiencies moted 101 113 Portable Learning Late: No deficiencies moted 101 113 Portable Classicom: No doficiencies moted 101 113 Portable Classicom: No doficiencies moted 101 113 Portable Classicom: No doficiencies moted 101 114 Portable Classicom: No doficies moted 101 114 Portable Classicom: No doficies moted 101 114 Portable Classicom: No doficies | | | Location, Deficiency Description | | | | |
| 1312 Pertalka Collection: Include: 1312 Pertalka C | | | 101 Portable Learning Lab: No deficiencies noted | | | | - |
| | | | 103 Portable Office: No deficiencies noted | | | | 2 |
| | | BW | 172 Portable Classroom: No deficiencies noted | | | | ო |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | Ì |
| | | | | | | | |
| | | | | | | | |
| | | | | | _ | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | _ | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 | |
|--|--|
| College Facility: St. Petersburg College FIRE DISTRICT: St. Petersburg SCHOOL / FACILITY: Gibbs Campus # OF SERIOUS FIRE SAFETY VIOLATIONS ADDRESS: 6605 5th Ave. North, St. Petersburg, FL 33710 # OF NON-SERIOUS FIRE SAFETY VIOLATI | # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 8 |
| | |
| Fire Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 INSPECTOR ADDRESS & PHONE NUMBER NAME OF TO NUMBER SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER COLLEGE BOARDFIRE AFETY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERT | urne, FL 32940 321-757-7205 62373 Fire inspector certification number |
| LOCA TION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavilion, etc. | S.H. numbers will be |
| | |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): X_YESNO | |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. JIM Waechter FACILITY ADMINISTRATOR NAME FRINTED ASSOCIATE VICE President for FPIS FACILITY ADMINISTRATOR TITLE FACILITY ADMINISTRATOR TITLE FACILITY ADMINISTRATOR TITLE | |

| | | | | - | | Γ |
|--------------------|-------------------|-----------------------------------|-------------------------|-------------------------------|---------------------------------|-------------|
| CODE NUMBER | Insp. Initials | ; Gibbs Campus | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | | Location, Deficiency Description | | | | |
| | | AD Bida 1 - No deficiencies poted | | | | - |
| | ° | | | | | 2 |
| | | | | | | 0 |
| | | | | | | 4 |
| | | | | | | 5 |
| | | | | | | 9 |
| | | | 0 | 6-30-12 | 11/15/11 | 7 |
| FFPC 1, 11.1.5.2.2 | \$M | | | | | ω |
| | | | | | | ი |
| | s S | HS Blog. 4: No deliciencies noted | | | | 10 |
| | | | | | | 1 |
| | | | | | | 12 |
| | | | 0 | 6-30-12 | 11/15/11 | 13 |
| FFPC 1, 11.1.5.2.2 | | | 0 | 6-30-12 | 11/15/11 | 14 |
| FFPC 1, 11.1.5.2.2 | ŝ | | | | | 15 |
| | 0/01 | cr blac e. No deficiencies noted | | | | 16 |
| | \$ | | | | | 17 |
| | | | | | | 18 |
| | | | | | | 19 |
| | | | | | | 20 |
| | | | | | | 21 |
| | - | | | | | 22 |
| | | | | | | 23 |
| | | | | | | 24 |
| | | _ | | | | 25 |
| | ^ ∧ | | | | | 26 |
| | | 1 Dide 0. No deficiencies ented | | | | 27 |
| | 8 | | | | | 28 |
| | J. | MA Rido 10: No deficiencies noted | | | | 29 |
| | 2 | | | | | 30 |
| | - | | | | |] |

| Line No. | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | | |
|--|------------|---|--|---|----|----|----|----------------------------------|----|----|----|----------------------------------|----|---|----|----------------------------------|----|------------|--|--|----|-------------------------------------|----|---------------------------------------|----|----|----------------------------------|--|---|
| Date Deficiency Corrected | | 12/19/11 | 12/1/11 | 12/1/11 | | | | | | | | | | | | | | | 11/15/11 | 12/1/11 | | | | | | | | | |
| Deficiency Corrected By | | 6-30-12 | 6-30-12 | 6-30-12 | | | | | | | | | | | | | | | 6-30-12 | 6-30-12 | | | | | | | | | |
| Prior Times Cited | | 0 | 0 | 0 | | | | | | | | | | | _ | | | | 0 | • | | | | | | | | | |
| SREF 2011/2012 Fire Safety Deficiencies - SPC Gibbs Campus | SA Bido 11 | SA - 114: Sprinkler obstructed with curtain | SA-209: Sprinkler escutcheon missing in corridor | SA-Outside North Data Room: Missing Sprinkler | | | | WE Bldg. 13: No defiencies noted | | | | El Bidg. 14: No defiencies noted | | PE Storage Shed 17: No defiencies noted | | CP Bldg. 20: No defiencies noted | | MIRA Bidg. | MIRA - 104: Power strips linked together | MIRA - Soundroom: Power strips linked together | | Sheds 129 - 133: No deficcies noted | | Bay Pines Center: No defiencies noted | | | BK/SS Bldg : No defiencies noted | | |
| Insp. Initials | | SW | | | | | | ws | | | | MS | | WS | | WS | | , | ws | ws | | WS | | ws | | | ws | | |
| CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | - |

| Line Number | - ~ | 7 | | | | | | | | | | | | | | | | | | | | |
|--|------------|-----------|------------|--|------|------|---|-----------|---|---|------|-----|------|---|---|---|-------|---------|---|---|-------|--|
| Date Deficiency Corrected | 11/00/11 | 11/22/11 | 11/18/11 | | | | | | | | | | | | | | | | | | | |
| Deficiency Corrected By | 0000 | 6-30-12 | 6-30-12 | | | | | | | | | | | | | | | | | | | |
| Prior Times Cited | , | - | 0 | | | | | | | | | | | | | | | | | | | |
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Gibbs Campus Location, Deficiency Description | LA Bldg. 2 | T | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | | SN MS | SM | | | | _ | _ | _ | _ | - +- | - + | | - | - | + | _ | -+- | _ | + | + | |
| CODE NUMBER SREF Ch. 5 | | 5(16)(h)6 | 5(10)(a)10 | | | | | | | | | | | | | | | | | | | |

| | ANNUAL COMP S ADMINISTR/ | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 | |
|--|--|--|--------------|
| College Facility: St. SCHOOL / FACILITY: HE ADDRESS: 666 | St. Petersburg College FIRE DISTRICT: Clearwater HEC Annex Building 6698 68th Avenue N, Pinellas Park, FL 33781 | T: Clearwater # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 | |
| FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT | FOR NAME PRINTED (IF JOINT INSPECTION) | Brian Webber (Municipal Fire Safety Inspector) OOLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED Fire Drevention Specialists Inc. 609 Gina Lane, Melbourne, FL 32940 321-757-7205 | . |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INS) SIGNATURE DATE FIRE INSPECTOR CERTIFICATION | CTOR SIGNATURE (IF JOINT INSPECTION) FIRE INSPECTOR CERTIFICATION NUMBER | 1 12 | |
| LOCATION: Deficiency locations will be i affixed above the door leadir specifically identified. For e | LOCA TION: Deficiency locations will be identified by a building number followed by the affixed above the door leading into that particular room. Or if the deficiency specifically identified. For example: Pressbox, Field House, Pavillion, etc. | LOCATION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | |
| St. Petersburg College has met the requirements of | net the requirements of F.S.S. 1013.12(2)(d): \underline{X} YES | VES NO | |
| Approval of Reports by Board (Including Letter) | rd (Including Letter)YESNO | | |
| THE UNDERSIGNED ATTESTS TO DEFICIENCIES. <u>J j m Walcchter</u> Eaclit <u>t a diministration name printed</u> | TS TO THE REVIEW OF THIS REPORT IN ITS EF | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. U j m Waechter Each it y administration have denined | |
| Associate V Facility administrator title | <u>Vice President for F</u> PIS | | |

| | | | | Prior | Deficiency | Date | ġ |
|--|---|----------------------|---|-------|-----------------|-------------------------|------------|
| Insp. SREF 2011/2012 Fire Safe Initials | | 1/2012 Fire Safe | SREF 2011/2012 Fire Safety Deficiencies - SPC HEC Annex Building | Times | Corrected By | Deficiency Corrected | No. |
| | | Locatio | Location, Deficiency Description | | | | T - |
| BW HEC Annex Building: Building not occupied a year yet - due for full inspection during solits - solis in the second solid solits - solis in the second solid sol | | ocupied a year yet - | HEC Annex Building: Building not occupied a year yet - due for full inspection during 2012 - 2010 inspection optication of the second | | | | 2 |
| | ל גנמל מחומווט, וא ווסט סכטקופט מווע. וויכ משווי אישריי אישריי אישריי אישריי אישריי אישריי אישריי אישריי אישריי | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | _ | | | |
| | | | | _ | | | |
| | | | | _ | | | |
| | | | | _ | | | |
| | | | | | | | |
| | | | | _ | | | |
| | | | | | | | |
| | | | | _ | | | |
| | | | | _ | | | |
| | | | | + | | | |
| | | | | + | | | |
| | | | | + | | | |
| | | | | + | | | |
| | | | | - | - | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | _ | | | |
| | | | | - | | | |
| | | | | _ | | | |
| | | | | | | | |

:

| Annex Building Prior Deficiency Date Line Corrected Deficiency Number Cited By Corrected Correct | | | | | | | | | | | | | | |
|--|---------------------------------|--|--|--|--|---|--|--|--|--|--|--|--|--|
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC HEC Annex Building | Location, Denciency Description | | | | | | | | | | | | | |
| Insp. | 1- | | | | | ╡ | | | | | | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | |

| | AI | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD CF EC'JCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 | |
|--|--|--|---|
| College Facility: SCHOOL / FACILITY: ADDRESS: | St. Petersburg College Midtown Campus 1048 22nd Street S, St Petersburg | FIRE DISTRICT: St. Petersburg # OF SERIOUS FIRE S # OF NON-SERIOUS FI | # OF SERIOUS FIRE SAFETY VIOLATIONS <u>0</u> # OF NON-SERIOUS FIRE SAFETY VIOLATIONS <u>0</u> |
| FIRE DISTRICT FIRE SAFETY IN FIRE DISTRICT FIRE SAFETY IN SIGNATURE DATE | FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER | Jeb W. Bynum (Municipal Fire Safety Inspector) college Board Firesafery Inspector Name PRINTED Fire Prevention Specialists, Inc., 609 Gina Lane, Melbo INSPECTOR ADDRESS & PHONE NUMBER 11/22/2011 COLEGE BOARD FIRE SAFTY INSPECTOR SIGNATURE / DATE | November 15, 2011 INSPECTION DATE ULTNE, FL 32940 321-757-7205 133209 FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCATION:</u> Deficiency locations wi affixed above the door specifically identified. | <u>LOCA TION:</u> Deficiency locations will be identified by a building number followed by the afficienc affixed above the door leading into that particular room. Or if the deficienc specifically identified. For example: Pressbox, Field House, Pavillion, etc. | LOCATION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | mbers |
| St. Petersburg College Approval of Reports by | St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> YES Approval of Reports by Board (Including Letter)YESNO | . 1013.12(2)(d): <u>X</u> .YESNO NO | |
| THE UNDERSIGNED ATTESTS TO DEFICIENCIES. Jim Waechter FACILITY ADMINISTRATOR NAME PRINTED ASSOCIATE VICE FACILITY ADMINISTRATOR TITLE | TTESTS TO THE REVIEW OF THIS I ter AME FRINTED Vice President fo TLE | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Facility administrator name Printed Associate Vice President for FPIS Facility administrator signature Facility administrator signature Facility administrator signature Facility administrator signature | |

| No. | | - | | | | | | | | | | | | | | | | | | | | |
|--|----------------------------------|-----------------------|------|---|---|------|--|---|--|--|---|---|---|---|---|---|---|---|------|------|---|--|
| | - | _ | | _ | _ | | | _ | | | _ | - | _ | _ | - | - | _ | _ | | _ | _ | |
| Date Deficiency Corrected | | | | | | | | | | | | | | | _ | | | | | | | |
| Deficiency Corrected By | | | | | | | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | | | | | | | | | | | | | | |
| SREF 2011/2012 Fire Safety Deficiencies - SPC Midtown Campus | Location, Deficiency Description | No deficiencies noted | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | · | ۹ŗ | | | | | | | | | | | | | | | | | | | | |
| CODE NUMBER | | | ž | | | | | | | | | | | | | | | | | | | |

| Prior Deficiency Date Line Times Corrected Deficiency Number Cited By Corrected | | | | | | | | | | | | | | | |
|--|-----------------------|--|--|--|------|---|--|------|--|--|--|--|--|------|--|
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Midtown Campus Location, Deficiency Description | No deficiencies noted | | | | | | | | | | | | | | |
| Insp. Initials | JВ | | | | | 1 | | | | | | | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | |

| ANNUAL COMPREHENS STATE BC ADMINISTRATIVE RU FISCA | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 |
|---|--|
| College Facility: St. Petersburg College FIRE DISTRICT: St. Petersburg SCHOOL / FACILITY: Palladium Theater 253 5th Ave. N, St Petersburg, FL 33701 | sburg # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 2 |
| Jeb W. COLLEGE B COLLEGE B COLLEGE B | Bynum (Municipal Fire Safety Inspector) Oard FireSaFETY INSPECTOR NAME PRINTED |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) INSPECTOR INSPECTOR SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER | Fire Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 INSPECTOR ADDRESS APHONE NUMBER 11/22/2011 133209 BOLEGE BOARD FIRE SAFEY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | ber (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers other than an identifiable room number, the area in question will be |
| · · · · · · · · · · · · · · · · · · · | |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>).</u> YES | N. |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Facility administrators name privited Associate Vice President for FPIS Facility administrators tignature Associate Vice President for FPIS Facility administrators title Date | ND ACKNOWLEDGES AWARENESS OF THE DISCOVERED FACILITY ADMINISTRATOR SIGNATURE 1/18/13 SIGNATURE DATE |

| | | | | | | ſ |
|----------------|-------------------|---|-------------------------|-------------------------------|---------------------------------|-------------|
| CODE NUMBER | Insp. Initials | SREF 2011/2013 | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | | Location, Deficiency Description | | | | |
| FFPC 1, 11.3.4 | BL | Palladium - Lift certification dated 2010 | 0 | 6-30-12 | 8/1/12 | - |
| NFPA 25, 5.1 | Яſ | Palladium Riser. Quarterly NFPA 25 inspection not completed | 0 | 6-30-12 | 5/1/12 | 2 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | • | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | - | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| y Number | - | | | | | | | | | | | | | | | |
|---|-----------------------|--|--|---|--|--|--|--|----|--|--|--|--|--|--|--|
| Date Deficiency Corrected | | | | 1 | | | | | | | | | | | | |
| Deficiency Corrected By | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | | | | | | | | |
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Palladium Theater Location, Deficiency Description | No deficiencies noted | | | | | | | | | | | | | | | |
| Insp. Initials | ВL | | | | | | | | | | | | | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | i. | | | | | | | |

| | ANNUAL COMP S ADMINISTR/ | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BCARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 |
|---|---|--|
| College Facility: SCHOOL / FACILITY: ADDRESS: | St. Petersburg College FIRE DISTRICT: Seminole Seminole Campus 9200 113th St N, Seminole, FL | T: Seminole # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 1 |
| FIRE DISTRICT FIRE SAFETY IN | FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) | Brian Webber (Municipal Fire Safety Inspector) November 15, 2011 INSPECTOR NAME PRINTED |
| SIGNATURE DATE | FIRE INSPECTOR CERTIFICATION NUMBER | FIRE INSPECTOR CERTI |
| <u>LOCATION:</u> Deficiency locations wi affixed above the door specifically identified. | <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the afficienc affixed above the door leading into that particular room. Or if the deficienc specifically identified. For example: Pressbox, Field House, Pavillion, etc. | <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| St. Petersburg College | St. Petersburg ℑollege has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> _YES | <u>X</u> YESNO |
| Approval of Reports by | Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS I DEFICIENCIES. Jim Waechter Facility administrator name printed Associate Vice Facility administrator title | ATTESTS TO THE REVIEW OF THIS REPORT IN ITS EI LEF LAME PRINTED Vice President for FPIS THE | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Asecutivation and the provided and the discovered and the d |

| CODE NUMBER | Insp. Initials | SREF 2011/2012 Fire Safety Deficiencies - SPC Seminole Campus | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected by | Line No. |
|-------------|-------------------|---|-------------------------|----------------------------|------------------------------------|-------------|
| | | Location, Deficiency Description | | | | |
| | BW | UP Bldg (University Partnership Center) Bldg. 52: No Defiencies noted | | | | - |
| | | | | | | 2 |
| | Ma | TL Bldg(Technolgy Learning) Bldg 51: No Defiencies noted | - | | | e |
| | | | | | | 4 |
| | BW | Chiller Bidg. 53: No deficiencies noted | | | | 5 |
| | | | | | | 9 |
| | BW | LI Bldg (Community Library at Seminole Campus) Bldg. 54: No Defiencies noted | | | | 2 |
| | | | | | | ω |
| | BW | PH Bldg (Pharmacy Bldg) Bldg. 55: No deficiencies noted | | | | ი |
| | BW | Sprinkler Riser - red tag on two systems - no defiency notes or proof of repair | | | | 10 |
| | BW | 117A: Hallway smoke doors need adjustment | 0 | 6-30-12 | 11/15/11 | ÷ |
| | | | | | | 12 |
| | BW | DL Bldg (Dental Bldg) Bldg. 56: No defiencies noted | | | | 13 |
| | | | | | - | 14 |
| | | | | | | 15 |
| | | | | | | 16 |
| | BW | CC Bldg (Library Annex Conference Center): No deficiencies noted | | | | 17 |
| | | | | | | 18 |
| | BW | MA Bldg (Maintenance Bldg): No deficiencies noted | | | | 19 |
| | | | | | | 20 |
| | BW | Classroom and Offices (Modular Bldg) 701 - 708: No deficiencies noted | | | | 21 |
| | | | | | | 22 |
| | | | | | | 23 |
| | BW | Note: NFPA 25 requires quarterly sprinkler inspections. Noted only annual inspection tags posted. | | | | 24 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| CODE NUMBER SREF Ch. 5 | Insp. Initials | SREF 2011/2012 Casu | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line Number |
|---------------------------|-------------------|---|-------------------------|-------------------------------|---------------------------------|----------------|
| | | Location, Deficiency Description | | | | |
| | BW | DL Bldg. (Dental Building) Bldg. 56 | | | | - |
| 5(1)(e)81 | BW | 133 Equipment Room: Vacuum pump leaking oil, need to repair pump and remove all the materials used to soak up spill | 0 | 6-30-12 | 11/15/11 | 2 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | _ | | |
| | | | | | | |
| | | | | | | |
| | | | | | - | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | - |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| CODE NUMBER | Insp. Initials | SREF 2011/2012 Fire/Casualty/Sanitation Deficiencies - SPC Seminole Campus Portables | Prior Times Cited | Deficiency Corrected Bv | Date Deficiency Corrected | Master Code Violation | Line No. |
|-------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|-----------------------------|---------------|
| | | Location, Deficiency Description | | | b | Number | |
| | | Portable 601: No deficiencies noted | | | | 0 N | - |
| | | | | | | NVO | 2 |
| | BW | Portable 603: No deficiencies noted | | | | 0 N | 3 |
| | BW | Portable 604: No deficiencies noted | | | | 0 N | 4 |
| | BV | Portable 605: No deficiencies noted | | | | | , c |
| | BW | Portable 606: No deficiencies noted | | | | O N |) u |
| | BW | Portable 607: No deficiencies noted | | | | | 2 |
| | BW | Portable 608: No deficiencies noted | | | | | |
| | BW | Portable 609: No deficiencies noted | | | | | ы. <i>с</i> т |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | T |
| | | | | | | | |
| | | | | | | | |
| | | | | | | - | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | - | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | ĺ | | | |] |

| | ANNUAL COM S ADMINISTR | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2011-2012 | |
|--|---|---|-----|
| College Facility: SCHOOL / FACILITY: ADDRESS: | St. Petersburg College FIRE DISTRI Tarpon Springs Campus 600 Klosterman Rd. Palm Harbor, FL 34684 | FIRE DISTRICT: Tarpon Springs # OF SERIOUS FIRE SAFETY VIOLATIONS 0 34684 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS | 4 |
| FIRE DISTRICT FIRE SAFETY IN | FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) | | 011 |
| FIRE DISTRICT FIRE SAFETY IN SIGNATURE DATE | FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER | Fire Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 INSPECTOR ADDRESS & PHONE NUMBER INSPECTOR ADDRESS & PHONE NUMBER COLLEGE BOARD FIRE SAFTY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER | |
| <u>LOCATION:</u> Deficiency locations wi affixed above the door specifically <i>ii</i> .entified. | <u>LOCA TION:</u> Deficiency locations will be identified by a building number followed by the affixed above the door leading into that particular room. Or if the deficienc specifically <i>ii</i> -entified. For example: Pressbox, Field House, Pavillion, etc. | LOCATION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically <i>ii</i> -entified. For example: Pressbox, Field House, Pavillion, etc. | |
| St. Petersburg College | St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): \underline{X} | <u>X</u> YESN ³ | |
| Approval of Reports by | Approval of Reports by Board (Including Letter)YESNO | | |
| THE UNDERSIGNED ATTESTS TO DEFICIENCIES. Jim Waechter Facility administrator name printed Associate Vice Facility administrator title | TTESTS TO THE REVIEW OF THIS REPORT IN ITS E Ler Me PRINTED Vice President for FPIS | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. <u>Jim Waechter</u> FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR TITLE FACILITY ADMINISTRATOR TITLE FACILITY ADMINISTRATOR TITLE FACILITY ADMINISTRATOR TITLE FACILITY ADMINISTRATOR TITLE | |

| CODE NUMBER | Insp. Initials | SREF 2011/2012 Fire Safety Deficiencies - SPC Tarpon Springs Campus | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
|-------------|-------------------|---|-------------------------|-------------------------------|---------------------------------|-------------|
| | | Location, Deficiency Description | | | | |
| | ws | NU Tech Bldg. 83: No deficiencies noted | | | | - |
| | | | _ | | | 2 |
| | | AG Bidg. 84: | | | | с |
| | WS | TRS Room: 7 Power strips linked together & 4 Power strips linked together | - | 6-30-12 | 11/14/11 | 4 |
| | | | | | | 5 |
| | SM | Alpha Bldg. 85: No deficiencies noted | | | | 9 |
| | | | | | | 7 |
| | | Beta Bidg. 86: | | | | 8 |
| | MS | Beta-413: Power strips linked together and damaged power cord (black cords) | 5 | 6-30-12 | 11/14/11 | ი |
| | | | | | | 9 |
| | ws | Gamma Bldg. 87: No deficiencies noted | _ | | | ÷ |
| | | | | | | 12 |
| | WS | Delta Bldg. 88: No deficiencies noted | | | | 13 |
| | | | | | | 14 |
| | ws | MA Bldg. 89 : No deficiencies noted | | | | 15 |
| | | | | | | 16 |
| | | | | | | 17 |
| | SM | PE Bldg. 90: No deficiencies noted | | | | 18 |
| | | | | | | 19 |
| | MS | Epsilon Bldg. 91: No deficiencies noted | | | | 20 |
| | | | | | | 21 |
| | | | | | | 22 |
| | WS | CE Bldg. 92: No deficiencies noted | | | | 23 |
| | | | | | | 24 |
| | | | | | | 25 |
| | SW | Admin Bldg. 93: No deficiencies noted | | | | 26 |
| | | | | | | 27 |
| | WS | LY Bldg. 94: No deficiencies noted | | | | 28 |
| | | | | | | 29 |
| | | | | | | 30 |

| | Initials | SREF 2011/2012 Fire Safety Deficiencies - SPC Tarpon Springs Campus | Cited | 20 | Ueticiency Corrected by | |
|--------------------|----------|---|-------|---------|----------------------------|----|
| | | Location, Deficiency Description | | , , | | |
| | <u> </u> | FA Bldg. 96 | | | | 31 |
| FFPC 1, 4.5.8.4 | MS E | FA-025: Preaction system inspection overdue | 0 | 6-30-12 | 1/25/12 | 32 |
| | | | | | | 33 |
| | | | | | | 34 |
| | | | | | | 35 |
| | | | | | | 36 |
| | | | | | | 37 |
| | | OL Bldg. 97 | | | | 88 |
| FFPC 1, 11.1.5.2.2 | WS B | Bookstore Storage Room: Powwer strips liked together | 0 | 6-30-12 | 11/14/11 | 39 |
| | + | | | | | 40 |
| | + | | | | | 41 |
| | | | | | | 42 |
| | | | | | | 43 |
| _ | ws_s | Sigma Bldg. 99: No defiencies noted | | | | 44 |
| | | | | | | 45 |
| | | | | | | 46 |
| - | ws S | Storage Sheds: No defiencies noted | | | | 47 |
| | | | | | | |
| | | | | | | |
| | + | | | | | |
| | + | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | l | |

| Line Number | - | | | | | | | | | | | | | | | |
|---|---|--|--|--|--|--|--|--|------|------|------|------|------|------|--|--|
| Date Deficiency Corrected | 1/25/12 | | | | | | | | | | | | | | | |
| Deficiency Corrected By | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | | | | | | | | |
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Tarpon Springs Campus Location, Deficiency Description | Sigma Bldg.: Outside bathroom handicap door opener motor will not close | | | | | | | | | | | | | | | |
| Insp. | s SV | | | | | | | | | | | | | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | |

| | Line No. | | - | 2 | m | 4 | 5 | 9 | 7 | 80 | 6 | 6 | £ | 12 | 13 | 14 | 15 | | | | | | | | | | | |
|---|--|----------------------------------|---|-----|---|--|---|---|---|---|---|---|---|---|----|--|----|---|------|--|--|---|--|---|---|---|---|---|
| | Deficiency Corrected | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Deficiency Corrected Bv | | | | | | | | | | | | | | | | - | _ | | | | | | | | | | - |
| ľ | Times Cited | 2 | | | | + | | -† | ╡ | \dagger | | | + | ╡ | -+ | | | | | | | _ | | + | - | _ | ┥ | ┥ |
| | SREF 2011/2012 Fire/Casualty/Sanitation Deficiencies - SPC Tarpon Springs Campus Portables | Location, Deficiency Description | IAU Portable 100: No deficiencies noted | | | RHO Portable 107. No definition of the stand | | ZETA Plortable 109: No deficiencies noted | | ETA Portable 110: No deficiencies noted | | KAPPA Portable 111: No deficiencies noted | | LAMDA Portable 112: No deficiencies noted | | OMICRON Portable 114: No deficionation antes | | | | | | | | | | | | |
| | Insp. Initials | | ŝ | MIC | | SW | | ws | | ws | | ws | | ws | 1 | SW | _ | | | | | | | | | | | 1 |
| | CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YFAR 2011-2013 | VSPECTION REPORT ATION 18 & F.A.C. 69A-58 |
|--|---|
| College Facility: St. Petersburg College FIRE DISTRICT: Seminole SCHOOL / FACILITY: Veterinary Technology Special Purpose Center | |
| ADDRESS: 12476 Ulmerton Road, Largo, FL, 33774 | # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| FIRE OISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED | tor) |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) | Fire Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 |
| 11/22/2 SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER COLLEGE BOARD FIRE SAFETY INSPECTOR SIGNATURE / DATE | 11/22/2011 126010 PECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCAT/ON</u> . Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | 133A). These numbers are usually the F.I.S.H. numbers tifiable room number, the area in question will be |
| | ſ |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): X YESNO | |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED Deficiencies. | S AWARENESS OF THE DISCOVERED |
| Jim Waechter FACULITY ADMNISTRATOR NAME PRINTED ASSOCIATE Vice President for FPIS FACULITY ADMNISTRATOR TILLE SIGNATURE DATE | FACILITY APPRIMISTRATORE SIGNATURE 1/18/13 SIGNATURE DATE |
| | |

| Line No. | - | | | | | | | | | | | _ | | T | | | | T | | Τ | Τ | | | | |
|---|---|---|--|---|---|---|---|----|---|---|---|---|---|----|---|---|---|---|---|---|---|---|---|---|---|
| Date Deficiency Corrected | | | | | | | | | | | | | | -+ | | | | + | | | | + | | | |
| Deficiency Corrected By | | - | | | | | + | | | | | | | | | | + | + | | | | | + | | |
| Prior Times Cited | | | | | 1 | ╡ | | -† | ╡ | ╉ | ╞ | 1 | + | ╀ | ╎ | ╋ | ╞ | | | | ╉ | ╉ | ╉ | ╉ | - |
| SREF 2011/2012 Fire Safety Deficiencies - SPC Vet Tech Special Purpose Center Location, Deficiency Description | 1801: This building is not a year old yet - due for full inspection during 2012 - 2013 inspection cycle | | | | | | | | | | | | | | | | | | | | | | | | |
| | BW | | | _ | | | | | | | | | | | | | | | | | | | | | |
| CODE NUMBER | | | | | | | | | | | | | | | | | | | , | | | | | | |

| Date Deficiency Corrected | - | | | | | | | | | | | - | | | | | |
|---|---|---|---|---|--|---|---|--|-------|---|--|---|-------|---|---|---|---|
| ency cted Def | | + | + | + | | _ | - | | _ | + | | + | - | ╞ | - | - | |
| Deficiency Corrected By | | | | _ | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | | | | | | | | | |
| SREF 2011/2012 Casualty/Sanitation Deficiencies - SPC Vet Tech Special Purpose Center Location, Deficiency Description | | | | | | | | | | | | | | | | | |
| Insp. Initials | | | | | | | | | | | | | | | | | 1 |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | |

| | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-13 |
|---|---|
| College Facility: St. Petersburg College SCHOOL / FACILITY: Allstate Center ADDRESS: 3200 34th St. S, St Petersburg. FL | 0 # OF SERIOUS FIRE DISTRICT: St. Petersburg # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 * * OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) | Jeb W. Bynum (Municipal Fire Safety Inspector) November 14, 2012 COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED IF JOINT INSPECTION DATE FILE PREVENTION DATE FILE PREVENTION DATE FILE PREVENTION Specialists. Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER | |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the affixed above the door leading into that particular room. Or if the deficienc specifically identified. For example: Pressbox, Field House, Pavillion, etc. | <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| St. Petersburg College has met the requirements of F.S.S. 101 | nents of F.S.S. 1013.12(2)(d): <u>X</u> YESNO |
| Approval of Reports by Board (Including Letter) _ | tter)YESNO |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF DEFICIENCIES. Jim Waechter FACILITY ADMINISTRATOR NAME PRINTED ASSOCIATE Vice President FACILITY ADMINISTRATOR TITLE | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter FACILITY ADMINISTRATOR NAME PRINTED ASSOCIATE VICE President for FPIS FACILITY ADMINISTRATOR TITLE |

| | | | | | | Γ |
|-------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|-------------|
| CODE NUMBER | Insp. Initials | SREF 2012/131 | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | | Location, Deficiency Description | | | | T - |
| | JB | 72 PSF Bldg: No deficiencies noted | | | | . ~ |
| | BL | 75 Bldg.: No deficiencies noted | | | | 0 |
| | ٩ | 76 FR: No deficiencies noted | | | | σ |
| | œ | 79 MCTFT: No deficiencies noted - not occupied | | | | , t |
| | 9 | 173 FR Shed: No deficiencies noted | - | | | 2 |
| | <u>е</u> | 174 Storage Shed: No deficiencies noted | | | | ÷ |
| | <u>a</u> | 175 Storage Shed: No deficiencies noted | | | | 4 5 |
| | 9 | 176 Storage Shed: No deficiencies noted | | | | 2 7 |
| | <u> </u> | 177 Storage Shed: No deficiencies noted | | | | <u>4</u> |
| | } | 176 - hooting trailer. No deficiencies noted | -+- | | | 2 |
| | 9 - | | | | | 16 |
| | <u>n</u> | 179 Storage Shed: No deficiencies noted | | | _ | 17 |
| | JB | AN2 Bldg.: No deficiencies noted | | | | 18 |
| | ЯĻ | Portable Classroom: No deficiencies noted | | | | |
| | | | | | | |
| | | | | | | T |
| | +- | | | | | T |
| | | | | | | |
| | - | | | | | |
| | _ | | - | | | |
| | | | - | | | |
| | | | | | | |
| | | | - | | | |
| | | | - | | | |
| | | | + | | | |
| | + | | - | | | |
| | + | | | | | |
| | | | | | | |
| | | | | | | |
| | | | - | | | |
| | | | | | | |
| | - | | _ | | | |
| | - | | | | | |

| Date Line Deficiency Number Corrected | | | | | | | | | | | | | | | | | + | | | | | | |
|---|----------------------------------|-----------------------|--|---|------|---|---|--|---|---|---|----|-------|-------|---|---|---|---|---|------|---|------|--|
| Deficiency Corrected De By Cc | | | | | | | _ | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | | | | | | | | | | | | | | | |
| SREF 2012/2013 Ca | Location, Deficiency Description | No deficiencies noted | | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | | Вſ | | _ | | - | | | _ | _ | + | _+ | _ | _ | _ | + | | + | + | -+ | + | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | | | | |

| CODE NUMBER | Insp. Initials | SREF 2012/2013 Fire Saf | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
|-----------------|-------------------|---|-------------------------|-------------------------------|---------------------------------|-------------|
| | | Location, Deficiency Description | 4 | 6 20 12 | CF14 F1 F F | - |
| FFPC 1.11.1.7.6 | BW | Information Center (Thrift Store) - Multiple residential two wire extensions cords used as permanent wiring in TV room. Daisy Chain | | 61-00-0 | 71 1-1 1-1 | 2 |
| | | | | | | ę |
| | MB | Veterinary Technology Bldg - Building closed, not occupied, to be torn uown pantary 2010 | | | | 4 |
| | | | | | | 5 |
| | B | Caruth Health Education Center : No deficiencies noted | | | | 9 |
| | | | _ | | | 7 |
| | M | | | | | 8 |
| | _ | | | | | 6 |
| | MB | Cooling Tower Bldg.: No deficiencies noted | | | | 10 |
| | | | | | | 5 |
| | MB | Storage Sheds (x3): No deficiencies noted | | | | 12 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | _ | | | | | |
| | -+ | | | | | |
| | _ | | | | | |
| | + | | | | | |
| | | | | | | |
| | _ | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | _ | | | | | |
| | | | | | | |
| | | | | | | |
| | | | + | | | |
| | | | + | | | - |
| | | | - | | | |

| | | | - , | | T | | | | _ | -1 | | - 1 | — | -1 | Т | Т | | Т | Т | T | | | | Τ | ٦ | |
|---------------------------------|----------------------------------|-----------------------------------|----------------|------|-------|------|------|---|-------|----|---|-----|----------|----|---|---|---|---|----|---|---|----|---|----|---|--|
| Line Number | - | | | | | | | _ | | | | | | | | | | | _+ | | | | | | | |
| Date Deficiency Corrected | | | | | | | | | | | | | | | | | | | | _ | | | | | | |
| Deficiency Corrected By | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | | | | | | | | | | | | | _ | | | | | |
| SREF 2012/2013 Casualty/Se | Location, Deficiency Description | All Bldgs.: No deficiencies noted | | | | | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | | BW | | | | | | | | _ | _ | | _+ | | | | + | - | ╀ | | ╀ | +- | + | +- | + | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | | | | | | | |

| CODE NUMBER Feet Description Center Portables Times Description D | | | | | | |
|---|-------------------|-----------------------|----------------|-------------------------------|---------------------------------|-------------|
| | Insp. Initials | | Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | | | | | | - |
| | BW | No deficiencies noted | | | | |
| | | | | | | |
| | | | - | | | |
| | _ | | | | | |
| | | | - | | | |
| | | | | | | T_ |
| | | | - | | | |
| | | | | | | |
| | | | +- | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | - | | | |
| | | | | | | |
| | _ | | | | | |
| | + | | | | | |
| | _+ | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | +- | | | | | |
| | + | | _ | | | |
| | ╉ | | _ | | | |
| | + | | | | | |
| | +- | | | | | |
| | + | | - | -+ | | |
| | | | - | | | |
| | +- | | _ | _ | - | _ |
| | | | - | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 | |
|---|---|
| College Facility: St. Petersburg College FIRE DISTRICT: Clearwater SCHOOL / FACILITY: # OF SERIOUS FIRE SAFETY VIOLATIONS 0 ADDRESS: 2465 Drew St. Clearwater FL | |
| Z | 5 |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 INSPECTOR ADDRESS PHONE NUMBER 11/18/2012 133209 SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER 11/18/2012 133209 | |
| LOCA TION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): X_YESNO | |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Warchter FACILITY ADMINISTRATOR NAME PRINTED EACLITY ADMINISTRATOR NAME PRINTED ASSOCIATE VICE President for FPIS FACILITY ADMINISTRATOR TITLE | |

| | f | | | | | [|
|--------------------|-------------------|---|-------------------------|-------------------------------|-------------------------|-------------|
| CODE NUMBER | Insp. Initials | SREF 2012/2013 Fire Safety Deficiencies - SPC Clearwater Campus | Prior Times Cited | Deficiency Corrected By | Deficiency Corrected | Line No. |
| | | Location, Deficiency Description | - | e 30 13 | 61/4/11 | - |
| CEDC 1 13 7 4 1 4 | EL, | 31 AD - 104: Fire alarm detector loose from backbox | 5 | CI-00-0 | C 6 7 6 7 7 7 | |
| | Γ | 31 AD - 127A. Extension cord used as permanent wiring - office | - - | 6-30-13 | 11/14/12 | 4 |
| FFPC 1, 11.1.7.0 | Т | 1. 20 1.00 1.00 1.00 1.00 1.00 1.00 1.00 | 0 | 6-30-13 | 1/8/13 | |
| FFPC 1, 12.5.7.1 | ۹ſ | 31 AD - 149: INStall TITE CAUK III HOUSS ADDUTIS PROVING PROVING PROVING THE CAUK III HOUSS ADDUTIS PROVING PROVING | | | | 4 |
| | ٩ſ | 32 LI Bldg.: No deficiencies noted | | | | 5 |
| | ٩ſ | 33SS - no deficiencies noted | | | | 9 |
| | JВ | 35ES - New construction | | | | 7 |
| | Вſ | 36LA Bldg.: No deficiencies noted | | | | ω |
| | ٩ſ | 37ST Bidg.: No deficiencies noted | | | | თ |
| | ٩ | 38CR Bldg.: No deficiencies noted | | | | 10 |
| | BL | 39 MA Bidg.: No deficiencies noted | | | | 1 |
| | 9 | 40 CU Bidg.: No deficiencies noted | . | 6-30-13 | 1/25/13 | 12 |
| FFPC 1, 10.19.1 | Вſ | 42-215: Excessive combustables - decrease fire load - office | . c + | 6-20-13 | 1/25/13 | 13 |
| FFPC 1, 10.19.1 | 9 9 | 42-219: Excessive combustables - decrease fire load - office | | 6-30-13 | 11/20/12 | 14 |
| FFPC 1, 13.6.8.2.1 | 9 | 42 - Stage: Add fire extinguisher and signage | 0 | 6-30-13 | 11/16/12 | 15 |
| FFPC 1, 4.5.8.1 | 9 | 43 - Lobby: Lady's restroom: Repair emergency light | | | | 16 |
| | | | | | | 17 |
| | _+ | | | | | 18 |
| | | | | | | 19 |
| | | | | | | 20 |
| | | | | | | 21 |
| | _ | | | | | 22 |
| | _ | | | | | 23 |
| | | | | | | 24 |
| | | | | | | 25 |
| | | | - | | | 26 |
| | | | | | | 27 |
| | | | | | | 28 |
| | | | | | | 29 |
| | | | - | | | 30 |
| | _ | | | | | |

| CODE NUMBER SREF Ch. 5 | Insp. Initials | SREF 2012/2013 Casua | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line Number |
|---------------------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|----------------|
| | | Location, Deficiency Description | c | 6-30-13 | 12/18/12 | - |
| 5(3)(c) | <u>۹</u> | 36 LA - 128: Trip hazard on west walkway tiles missing | 5 | 2-20 | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | _ | | | | | |
| | _+ | | | | | |
| | _ | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | _ | | | | | |
| | + | | | | | |
| | + | | | | | |
| | | | | | | |
| | -+- | | | | | |
| | + | | | | _ | |
| | _ | | | | | |
| | | | | | | |
| | | | | | | |
| | -+ | | - | | | |
| | | | | | | |
| | - | | | | | |
| | | | | | | |

| | | SRFF 2012/2013 Fire/Casualty/Sanitation Deficiencies - SPC Clearwater Campus Portables | Prior Times | Cor | Date Deficiency | Line |
|----------------------|----------|--|----------------|------------------|--------------------|------------|
| CODE NUMBER | Initials | | Cited | | Corrected | |
| | | Location, Deficiency Description | 6 | 6 <u>-30</u> -13 | 1/9/13 | - |
| NFPA 70, Art. 110.26 | BL | Portable 104: Electrical panel blocked by locker | | 6-30-13 | 1/9/13 | 2 |
| FFPC 1. 12.6.3.1 | ВĻ | Portable 106: Remove non-rated fumiture | | 2 | | |
| | B | Portable 108: No deficiencies noted | | | | |
| | | Portable 141: No deficiencies noted | | | | r v |
| | ws | Portable 144: No deficiencies noted | +- | | |) (|
| | 8M | Portable 145:No deficiencies noted | | | | 0 |
| | SW | Portable 146:No deficiencies noted | | | | - α |
| | SW | Portable 147: No deficiencies noted | | | | |
| | WS | Portable 157: No deficiencies noted | | | | , ct |
| | WS | Portable 158: No deficiencies noted | - | | | 2 7 |
| | SW | | +- | | | - ; |
| | NS N | | | | | 2 9 |
| | SM | Т | _ | | | 5 |
| | SW SW | T T | + | _}_ | | 4 |
| | U M | | + | | | 0 |
| | | | _ | | | 16 |
| | ° ∧ | | _ | | - + | 17 |
| | SN | Portable 164: No deficiencies noteu | | | | |
| | | | | | | |
| | -+ | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | - + | |
| | | | | | | |
| | | | | | | |
| | - | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

.

| | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 |
|--|--|
| College Facility: <u>Si</u> SCHOOL / FACILITY: <u>D</u> ADDRESS: <u>2</u> | St. Petersburg College FIRE DISTRICT: St. Petersburg # OF SERIOUS FIRE SAFETY VIOLATIONS 0 Downtown 244 Second Ave. N, St Petersburg. FL # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| RE DISTRICT FIRE SAFETY INSPE RE DISTRICT FIRE SAFETY INSPE | Jeb W. Bynum (Municipal Fire Safety Inspector) November 14, 2012 Inspection bate November 14, 2012 Inspection bate Inspection bate Inspection bate Inspe |
| SIGNATURE DATE LOCATION: Deficiency locations will b affixed above the door lea specifically identified. For | followed by the rc r if the deficiency ⁱ e, Pavillion, etc. |
| St. Petersburg College h | St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> YESNO |
| Approval of Reports by ^E | Approval of Reports by Board (Including Letter)YESNO |
| THE UNDERSIGNED ATTESTS TO DEFICIENCIES. Jim Waechter Facility Administrator NAME PRINTED ASSOCIATE VICE F Facility Administrator Title | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter FACILITY ADMINISTRATOR NAME PRINTED ASSOCIATE VICE President for FPIS ASSOCIATE VICE President for FPIS FACILITY ADMINISTRATOR TILE |

| | Deficiency Date Line Corrected Deficiency No. By Corrected No. | | | | | | | | | | | | | | | | | | | | | | | |
|---|--|----------------------------------|-------------------------------|--|--|--|---|----|---|--|------|------|--|--|--|---|---|--|-------|---|----|----|---|---|
| F | Prior I Times Cited | | , | | | | | | | | | | | | | | + | | | _ | -+ | - | _ | _ |
| | SREF 2012/13 Fire Safety Deficiencies - SPC Downtown | Location, Deficiency Description | 1-Bidg.:No dificiencies noted | | | | | | | | | | | | | | | | | | | | | |
| | Insp. Initials | | ЪВ | | | | _ | _+ | - | | | | | | | _ | | | ╞ | - | + | +- | ╀ | ╀ |
| | CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | |

| SREF 2012/13 Casualty/Sanitation Deficiencies - SPC Downtown Prior Deficiency Date Line Cited By Corrected Deficiency Number | Location, Deficiency Description | | | | | | | | | | | | | | | | | | | | | | | |
|--|----------------------------------|-------------------------|--|---|-------|---|-------|-------|---|-------|---|---|---|---|---|---|----|---|---|---|---|---|---|---|
| | Location, Deficienc | 8 No deficiencies noted | | | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | | BL | | _ | _ | _ | + | _ | _ | + | + | _ | + | + | + | + | +- | ╀ | + | + | ╀ | ╉ | ╉ | _ |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | | | | | • |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2003 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 |
|---|
| College Facility: St. Petersburg College FIRE DISTRICT: Clearwater # OF SERIOUS FIRE SAFETY VIOLATIONS 0 SCHOOL / FACILITY: EpiCenter 13805 58th St N, Clearwater, FL 33760 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 ADDRESS: 13805 58th St N, Clearwater, FL 33760 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| Brian Webber (Municipal Fire Safety Inspector) November 13, 2012 FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (F JOINT INSPECTION) November 13, 2012 FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (F JOINT INSPECTION) November 13, 2012 FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (F JOINT INSPECTION) FIRE Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (F JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (F JOINT INSPECTION) 11/18/2012 126010 |
| ations will b the door lea entified. For |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): X_VESNO |
| Approval of keports by Board (Including Letter)YESNO |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVENED DEFICIENCIES. <u>Jim Waechter</u> Facility Administrator NAME PRINTED A COCCI a to VI CO Dresident for FPIS A COCCI a to VI CO Dresident for FPIS A COCCI a to VI CO Dresident for FPIS |
| |

| Γ | Line No. | T | - | 2 | ю | 4 | 5 | g | 7 | 8 | ი | 10 | 11 | 12 | 13 | 14 | | | | | | | | | | | - | | |
|---|---------------------------------|----------------------------------|--|---|-----------------------|---------------------------------------|---|-----------------------|---|--------------|-------------------------|--------|---|-------------------------|----|--|--|---|-----------|------|---|-----------|--------------|---|-------|--|-------|---------|---|
| | Date Deficiency Corrected | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Deficiency Corrected By | | | | | | | | | | | | | | | | | | | | | | | | | | | -+- | |
| | Prior Times Cited | T | | | _ | | | | | | | | | | | | | | | | | | \downarrow | - | + | | _} | - | |
| | SREF 2012/20 | Location, Deficiency Description | Environment Bilde 203: Technology and Building Center, 13805 58th St N, Clearwater, FL 33760 | | No deficiencies noted | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | No deficiencies noted | 2 | | / No deficiencies noted | 133760 | EpiCenter @ ICOT(Applied Fiber Bldg) Annex 2 - Juvenile Welfare Blog (JWB) - 14 J33 3001 31 N, Oreanward, 1 2 30 30 | V No deficiencies noted | | EpiCenter Annex / Coliseum Bldg. 702 - 13707 58th St N, Clearwater, FL 33760 (Ora Restaurancy) | V Not Occupied, electric off, scheduled to be tom down | | | | | | | | | | | | |
| | Insp. Initials | | | | Ma Ma | _ | | M | | \downarrow | BV | _ | | M | | _ | BW | - | | | _ | | | | | | - | | ł |
| | CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | Line Number | Ţ | - | T | | T | | Ţ | | | | | | | | | | | | | | | |
|---|---------------------------------|----------------------------------|---------------------------|---|---|---|--|---|--|--|---|---|---|--|------|------|---|------|---|------|---|---|------|
| | Date Deficiency Corrected | Ť | | | + | | | | | | | | | | | | | | _ | - +- | | _ | |
| - | Deficiency Corrected By | | | | | | | | | | | | | | | | | | | | | | |
| | Prior Times Cited | | | | - | | | | | | _ | | | | | _ | _ | | | | | | |
| | SREF 2012/2013 (| Location, Deficiency Description | B/V No deficiencies noted | | | | | | | | | | | | | | | | | | | | |
| | Insp. Initials | | BW | | | | | | | | | - | - | | | | | | | | - | - | |
| | CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | | | |

,

| Output Folding S. Formohung Cuttons Intel DISTRICT: Classman a or serious messares warmer of a considered of the constraint of the const | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 | |
|---|---|-------------|
| Brian Webber (Municipal Fire Safety Inspector) COLLECE BOARD FREEARET INSPECTOR NAME FINITED Fire Prevention Specialists, Inc., 600 Gina Lane, Melbourne, FL 3204 Interesting and the source manage 11/18/2012 Fire Prevention Specialists, Inc., 600 Gina Lane, Melbourne, FL 3204 Interesting and the source manage 11/18/2012 Fire Prevention Specialists, Inc., 600 Gina Lane, Melbourne, FL 3204 Interesting an area other than an identifiable room number, the area in question will be Pavillon, etc. Pavillon, etc. 00 013.12[2](d): X YES 00 013.12[2](d): X YES 01 FOUR TIME ENTRET AND ACKNOMLEDCES AWARENESS OF THE DISCOVERED FOUR FPILS | St. Petersburg College FIRE DISTRICT: Clearwater # OF SERIOUS FIRE SAFETY VIOLATIONS_0 File Training Center # OF NON-SERIOUS FIRE SAFETY VIOLATIONS_0 5005 126th Ave N, Clearwater, FL 33762 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS | |
| LOCATION: Deficiency (accinose will be identified by a building number folowed by the room number (e.g. 2-805 or 1-134). These numbers are usually the FLSH, numbers are usually the FLSH, numbers are usually the reaction will be identified by a building number for example. Pressbor, Field House, Pavillion, etc. specifically identified. For example: Pressbor, Field House, Pavillion, etc. specifically identified. For example: Pressbor, Field House, Pavillion, etc. St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>1</u> , YESNO Approval of Reports by Board (Including Letter)YESNO The Understand in the requirements of F.S.S. 1013.12(2)(d): <u>1</u> , YESNO Approval of Reports by Board (Including Letter)YESNO Turn to the requirements of F.S.S. 1013.12(2)(d): <u>1</u> , YESNO Approval of Reports by Board (Including Letter)YESNO Turn <u>International Resonance</u> Turn <u>Internation</u> | Brian Webber (Municipal Fire Safety Inspector) college Board Firesafety Inspector Name Printed Fire Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 3294 INSPECTOR ADDRESS & PHONE NUMBER 11/18/2012 FIRE INSPECTOR SIGNATURE / DATE COLLEGE BOARD FIRE SAFETY INSPECTOR SIGNATURE / DATE | |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> YESNO Approval of Reports by Board (Including Letter)YESNO THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REMIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. <u>J J III WARCh KARE PANNED</u> AGENT ADMINISTRATOR MARE PANNED RACITY ADMINISTRATOR MARE PANNED RACITY ADMINISTRATOR THE RACITY ADMINISTRATION THE RACITY ADMINISTRATION THE RACITY ADMINISTRATION THE | <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular noom. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. <u>Jim Waechter</u> Facility Administration where Present and the provided of the Discovered avarences | | |
| | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REMTRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. U I M WAECH E C FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR THLE ASSOCI A LE VICE President for FPIS FACILITY ADMINISTRATOR THLE | |

| ľ | | | | | |
|-------------------|---|-------------------------|-------------------------------|---------------------------------|-------------|
| Insp. Initials | SREF 2012/2013 F | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | Location, Deficiency Description | | | | - |
| BW | 1701 Burn Bldg.: No deficiencies noted | | | | 0 |
| BW | 1702 Apparatus Bldg.: No deficiencies noted | | | | |
| BW | 1703 Training Tower: No deficiencies noted | | | | ľ |
| | | | _ | | |
| | | - | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | <u> </u> | | | |
| | | | | | |
| | | | | | |
| | | ╞ | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| _ | | | | | |
| | | | | | |
| | | | | _ | |
| | | - | -+ | -+ | |
| | | -+ | | | |
| | | + | | | |
| | | _ | | | _ |
| \downarrow | | + | | | |
| | | - | | | |
| - | | -+ | -+ | | _ |
| - | | - | -+- | | +- |
| ╞ | | _ | | | |
| | | - | | | |
| - | | | | | |

| | Insp. Initials | SREF 2012/2013 Casualty/Sanitation Deficiencies - SPC Fire Training Center | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line Number |
|-------|-------------------|--|-------------------------|-------------------------------|---------------------------------|----------------|
| ? | 200 | | | | | . |
| | | All Bldgs.: No deficiencies noted | | | | _ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | | | | | | |
| | | | | | | |
| | \downarrow | | | _ | | |
| | | | | 4 | - | |
| | | | | | | |
| | - | | | | | |
| | - | | | | | |
| | ╞ | | _+ | -+ | - | |
| | | | | | -+- | |
| | - | | | | | |
| | | | | | | - |
| | | | | | - | |
| | | | | | | |

| | | | | | | Γ |
|-------------|-------------------|--|-------------------------|-------------------------------|---------------------------------|-------------|
| CODE NUMBER | Insp. Initials | SREF 2012/2013 Fire/Casualty/Sa | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | | Location, Deficiency Description | | | | Ţ |
| | BV | 101 Portable Learning Lab: No deficiencies noted | | | | |
| | BW | 103 Portable Office: No deficiencies noted | | | | 4 9 |
| | BW | | | | | 2 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | T |
| | | | | | | T |
| | | | | | | |
| | | | | | | T |
| | | | | | | |
| | | | _ | | | |
| | | | | | | |
| | | | _ | | | |
| | _ | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | _ | | | | | |
| | | | | | | |
| | + | | | | | |
| | + | | | | | |
| | + | | | | | |
| | + | | | | _ | |
| | - | | | | | |
| | + | | | | | |
| | + | | | | | |
| | + | | | | | |
| | + | | | | | |
| | + | | - | - | | |
| | | | | | | |

| | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 | EPORT A-58 |
|--|--|---|
| College Facility: St. P SCHOOL / FACILITY: Gibb ADDRESS: 6605 | St. Petersburg College FIRE DISTRICT: St. Petersburg Gibbs Campus 6605 5th Ave. North, St. Petersburg, FL 33710 | # OF SERIOUS FIRE SAFETY VIOLATIONS <u>0</u> # OF NON-SERIOUS FIRE SAFETY VIOLATIONS <u>0</u> |
| RE DISTRICT FIRE SAFETY INSPECT | FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTOR SIGNATURE (IF JOINT INSPECTOR SIGNATURE (IF JOINT INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTOR SI | afety Inspector) November 14, 2012 INTED INSPECTION DATE OP Gina Lane, Melbourne, FL 32940 321-757-7205 11/18/2012 62373 URE / DATE 62373 |
| LOCATION: LOCATION: Deficiency locations will be i affixed above the door leadin specifically identified. For e | LOCATION: LOCATION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | numbers are usually the F.I.S.H. numbers umber, the area in question will be |
| St. Petersburg College has 1 | St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): \underline{X} YESNO | |
| Approval of Reports by Board (Including Letter) _ | ard (Including Letter)YESNO | SS OF THE DISCOVERED |
| THE UNDERSIGNED ATTESTS TC DEFICIENCIES. Jim Waechter Facility Administrator name printed Associate Vice Facility Administrator Title | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARCHESS OF THE DOUCLED DEFICIENCIES. Jim Waechter Facility administrator NAME PRINTED ASSOCIATE VICE President for FPIS FACILITY ADMINISTRATOR TITLE | as of the construction of signature |

| | Ì | | F | | | |
|-------------|-------------------|-------------------------------------|-------------------------|-------------------------------|---------------------------------|-------------|
| CODE NUMBER | Insp. Initials | Gibbs Campus | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line No. |
| | | Location, Deficiency Description | | | | _ , |
| | WS / | AD Bildg. 1: No deficiencies noted | | | | - 7 |
| | | | | | | m |
| | | | | | | 4 |
| | MS | LA Bldg. 2: No deficiencies noted | | | | S |
| | | | | | | 9 |
| | SW. | HS Bldc 4: No deficiencies noted | | | | 2 |
| | | | | | | 8 |
| | | | | | | σ |
| | | | | | | þ |
| | MS | | | | | 1 |
| | | | | | | 12 |
| | | | | | | 13 |
| | SM - | SC Bldg. 6: No denciencies noted | | | | 14 |
| | - | | | | | 15 |
| | | | | | | 16 |
| | SM | GM Bidg. /: No denciencies noted | | | | 17 |
| | | | | | | 18 |
| | | | | | _ | 19 |
| | SN | | | | | 20 |
| | | | | | | 21 |
| | | | | | | 22 |
| | S S | MA blog. TU: No delicterides rioted | | | | 23 |
| | + | | | | | 24 |
| | | | | | | 25 |
| | S N | SA Blog. 11 | | | | 26 |
| | | | | | | 27 |
| | | | | | | 28 |
| | S S | | | | | 29 |
| | MS | El Bidg. 14: No deficiencies noted | | | | 30 |
| | | | | | | |

| Γ | Line No. | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | | | | | | | | | | |
|---|--|----|---------|----|---|----|----|-----------------------------------|----|----|-----------------------------------|----------|----|---------------------------------------|----|----|--|----|----|------------------------------------|---|---|---|---|----|---|---|-----|---|---|
| | Date Deficiency Corrected | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| - | Deficiency Corrected By | | | | | | | | | | | | | | | | | | | _ | | _ | | | | | | | | |
| | Prior Times Cited | | | | | | | | | _ | _ | | _ | | | _ | _ | | | | _ | _ | _ | | | | - | - + | _ | _ |
| | SREF 2012/2013 Fire Safety Deficiencies - SPC Gibbs Campus | | | | PE Storage Shed 17: No deficiencies noted | | | CP Bida 20: No deficiencies noted | | | MIDA Blda - No deficiencies noted | | | Sharks 138-133. No deficiencies noted | | | Bay Dines Center Scheduled for December demolition | | | DV/SS Bldr - No deficiencies noted | | | | | | | | | | |
| | Insp. Initials | | SN N | | MS | | | | - | - | | <u>}</u> | | SW | 3 | | SW. | \$ | | N/C | 2 | ╞ | ╞ | - | +- | - | | | | |
| | CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Line Number | 4 | 2 | в | 4 | 5 | 9 | | | | | | | | | | | | | _ | | |
|---|---|-----------|-----------------|-------------|---------|---------|--|--|--|------|---|------|------|------|---|--|---|---|---|---|---|
| Date Deficiency Corrected | | 1/4/12 | | - | 1/18/13 | | | | | | | | | | _ | | | | | | |
| Deficiency Corrected By | | 6-30-13 | | | 6-30-13 | | | | | | | | | | : | | | | | | |
| Prior Times Cited | | 0 | | | 0 | | | | | | | | | | | | | | _ | | |
| SREF 2012/2013Casualty/Sanitation Deficiencies - SPC Gibbs Campus Location, Deficiency Description | | | | WE Blda. 13 | | | | | | | | | | | | | | | | | |
| Insp. Initials | | SW | | | SW | | | | | | _ | | | | | | - | - | | - | ╞ |
| CODE NUMBER SREF Ch. 5 | | 5(1)(e)ßi | intervention in | | 5(8)(4) | (51/2)2 | | | | | | | | | | | | | | | |

| CODE NUMBER | Insp. Initials | SREF 2012/2013 Fire/Casua | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | No. |
|-------------|-------------------|----------------------------------|-------------------------|-------------------------------|---------------------------------|-----|
| | | Location, Deficiency Description | | | | , |
| | MS | PB 201: No deficiencies noted | | | | - |
| | | | | | | Ţ |
| | | | _ | | | |
| | | | | | | |
| | | | - | | | |
| | | | _ | | | |
| | | | | | | |
| | | | . | | | |
| | | | + | | | |
| | | | | _ | | |
| | - | | | | | |
| | | | | | | |
| | - | | | | _ | |
| | | | | | | |
| | _ | | | | | |
| | | | | | _ | |
| | | | | | | |
| | - | | | | | |
| | - | | | | | _ |
| | + | | | | | |
| | - | | -+ | | | |
| | | | | _ | | |
| | | | | _ | | |
| | ╞ | | _ | | | |
| | <u> </u> | | | | | |
| | <u> </u> | | | | - | |
| | | | - | | _ | _ |
| | ╞ | | - | | | _ |
| | | | | _ | | |
| | | | - | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 |
|---|
| College Facility: St. Petersburg College FIRE DISTRICT: Clearwater # OF SERIOUS FIRE SAFETY VIOLATIONS 0 SCHOOL / FACILITY: HEC Annex Building # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 ADDRESS: 6698 68th Avenue N, Pinellas Park, FL 33781 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| Brian Webber Municipal Fire Safety Inspector) November 14, 2012 IRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (F. JOINT INSPECTION) November 14, 2012 November 14, 2012 FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (F. JOINT INSPECTION) COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED (F. JOINT INSPECTION) November 14, 2012 FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (F. JOINT INSPECTION) FIRE DATE (F. JOINT INSPECTION) November 14, 2012 FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (F. JOINT INSPECTION) FIRE NOVEMBER (F. JOINT INSPECTION) 11/18/2012 126010 |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> YESNO |
| Approval of Reports by Board (Including Letter)YESNO |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARKENESS OF THE UNDOVENED DEFICIENCIES. <u>Jim Waechter</u> <u>Associate Vice President for F</u> PIS <u>Associate Vice President for F</u> PIS SIGNATURE DATE |

| HEC Annex - 1st Floor - no deficiencies noted |
|---|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| | - | - | - , | | - 1 | | - | | · | - 1 | - | - 1 | - 1 | | T | - | - 1 | T | | T | П | - 1 | |
|--|---|----------|---------|------|---------|------|---|------|---|---------|---|-----|-----|--|---|---|-----|---|---|---|---|-----|--|
| Line Number | , | | | | | | | | | | | | | | | | | | | | | | |
| Date Deficiency Corrected | | | | | | | | | | | | | | | 1 | | | | | | | | |
| Deficiency Corrected By | | | | | | | | | | | | | | | | | | | | | | | |
| Prior Times Cited | | | | | | | | | | | | | | | | _ | | | _ | | | _ | |
| SREF 2012/2013 Casualty/Sanitation Deficiencies - SPC HEC Annex Building Location. Deficiency Description | | | | | | | | | | | | | | | | | | | | | | | |
| Insp. | | Ng. | | | | | | | | | | | | | | | | | | | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | | | | |

| ANNU | NUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 |
|--|--|
| College Facility: St. Petersburg College Facility: St. Petersburg College F SCHOOL / FACILITY: Midtown Campus ADDRESS: 1048 22nd Street S, St Petersburg | FIRE DISTRICT: St. Petersburg # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) | Jeb W. Bynum (Municipal Fire Safety Inspector) college Board Firesafety INSPECTOR NAME PRINTED |
| FIRE DISTRICT FIRE SAFETY INSPECTION SIGNATURE (IF JOINT INSPECTION) SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER | Fire Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 INSPECTOR ADDRESS & PHONE NUMBER 11/18/2012 COLEGE BOARD FIRE SMETY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCA TION:</u> Deficiency locations will be identified by a building number followed by the affixed above the door leading into that particular room. Or if the deficienc specifically identified. For example: Pressbox, Field House, Pavillion, etc. | <u>LOCA TION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| of Decembrand Collocor has mot the requirements of E.S.S. 1013,12(2)(d): X_YES | 113.12(2)(db: X YES NO |
| Approval of Reports by Board (Including Letter)YESN | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REP DEFICIENCIES. Jim Waechter FACILITY ADMINISTRATOR NAME PRINTED ASSOCIATE Vice President for FACILITY ADMINISTRATOR TITLE | THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. Jim Waechter Facility administrator name printed Associate Vice President for FPIS Facility administrator tille Facility administrator tille |

| No. | | - | | | | | | | | | | | Τ | | | | | | | | | | | Ţ | |
|------------------------------------|----------------------------------|-----------------------|---|---|-------|---|-------|-----|---|---|---|---|-------|---|---|-------|---|----|----------|------|---|---|---|--------|-------|
| Date Deficiency Corrected | ╉ | | | | | | | | | | | | | | | | | | - | | | | + | | |
| Deficiency Corrected De By C | | | | | _ | | - | - + | _ | | | _ | | _ | | | | | | | | | - | - | |
| d Cor | | - | _ | | | _ | | _ | | | _ | - | _ | | - | _ | - | -+ | | _ | | | _ | _ | - |
| Prior Times Cited | | _ | | _ | | | _ | | _ | _ | | _ | _ | _ | _ | _ | _ | _ | | | _ | - | - | \neg | _ |
| SREF 2012/13 F | Location, Deficiency Description | No deficiencies noted | | | | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | | ЪВ | | | | | | | | | | | | | | | | | <u> </u> | | _ | | | | |
| CODE NUMBER | | | | | | | | | | | | | | | | | | | | | | | | | |

| CODE NUMBER SREF Ch. 5 | Insp. Initials | SREF 2012/13Casu | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line Number |
|---------------------------|-------------------|----------------------------------|-------------------------|-------------------------------|---------------------------------|----------------|
| | | Location, Deficiency Description | | | | T |
| | ۹ | No deficiencies noted | | | | - |
| | | | | | | |
| | | | | | | |
| | | | | _ | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | _ | | | |
| | | | | _ | | |
| | | | | | - | |
| | | | | | | |
| | | | | | | |
| | | | _ | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | - |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 |
|---|
| College Facility: St. Petersburg College FIRE DISTRICT: St. Petersburg ScHool / FACILITY: Palladium Theater # OF SERIOUS FIRE SAFETY VIOLATIONS 0 ADDRESS: 253 5th Ave. N, St Petersburg, FL 33701 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| Jeb W. Bynum (Mur college Board FIRESAFETY Fire Prevention Spec |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) INSPECTOR ADDRESS & PHOJE NUMBER 11/18/2012 133209 SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. |
| |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): X_YESNO |
| Approval of Reports by Board (Including Letter)YESNO |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. |
| JIM WAECHTET FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR INTE FACILITY ADMINISTRATOR TITLE ACC President for FPIS FACILITY ADMINISTRATOR TITLE |
| |

| Γ | Line No. | , | - | | | | | - | | | | | | | | | | | |
|---|---|---|--------------------------------|--|--|--|--|---|--|--|--|--|------|--|--|---|------|------|--|
| | Date Deficiency Corrected | | | | | | | | | | | | | | | | | | |
| | Deficiency Corrected By | | | | | | | | | | | | | | | | | | |
| | Prior Times Cited | | | | | | | | | | | | | | | | | | |
| | SREF 2012/13 Fire Safety Deficiencies - SPC Palladium Theater | | Palladium: Np dificiecies note | | | | | | | | | | | | | | | | |
| | Insp. Initials | | <u>e</u> | | | | | | | | | | | | | L | | | |
| | CODE NUMBER | | | | | | | | | | | | | | | | | | |

| CODE NUMBER SREF Ch. 5 | Insp. Initials | SREF 2012/13Casua | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line Number |
|---------------------------|-------------------|----------------------------------|-------------------------|-------------------------------|---------------------------------|----------------|
| | | Location, Deficiency Description | | | | |
| | ВĹ | No deficiencies noted | | _ | | - |
| | | | | | | _ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | - | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | _ | | | | | |
| | | | | | | |
| | | | | | _ | |
| | | | | | | |
| | | | | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 | |
|--|--|
| | # OF SERIOUS FIRE SAFETY VIOLATIONS <u>0</u> # OF NON-SERIOUS FIRE SAFETY VIOLATIONS <u>1</u> |
| Brian Webber (Municipal Fire Safety Inspector) FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED | November 14, 2012 INSPECTION DATE |
| E SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) FILE PREVENTION SPECIAL RADERESS & PHONE NUMBER 11/18/2012 11/18/2012 | FL 32940 321-757-7205 126010 |
| SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER COLLEGE BOARD FIRE SAFETY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CE | FIRE INSPECTOR CERTIFICATION NUMBER |
| LOCATION: Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | H. numbers vill be |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): X YESNO | |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. JIM Waechter FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR NAME PRINTED FACILITY ADMINISTRATOR THE DATE | |
| | |

| CODE NUMBER | Insp. Initials | SREF 2012/2013 Fire Safety Deficiencies - SPC Seminole Campus | Frior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line. No. |
|-------------|-------------------|---|-------------------------|----------------------------|---------------------------------|--------------|
| | | Location, Deficiency Description | | | | |
| | | UP Bldg (University Partnership Center) Bldg. 52 | - | | | - |
| | BW | 307: Flammable and Acid cabinets found standing open in room | 0 | 6-30-13 | 11/14/12 | 5 |
| | BW | 307: Eyewash station blocked | 0 | 6-30-13 | 11/14/12 | с. |
| | BW | 307B : Food and chemicals stored together in refridgerator | 0 | 6-30-13 | 11/14/12 | 4 |
| | | | | | | 5 |
| | | TL Bldg(Technolgy Learning) Bldg 51 | _ | | | 9 |
| | BW | TL 118: Office two wire residential extension cord in use | 0 | 6-30-13 | 11/14/12 | 7 |
| | BW | TL 133: Storage - closer disconnected on rated door | 0 | 6-30-13 | 11/14/12 | œ |
| | BW | TL 127: Classroom - Extension cord in use to smart board | 0 | 6-30-13 | 11/14/12 | 6 |
| | | | | | | 10 |
| | BW | Chiller Bidg. 53: No deficiencies noted | | | | 11 |
| | | | | | | 12 |
| | | LI Bldg (Community Library at Seminole Campus) Bldg. 54 | | | | 13 |
| | BW | Children's Library - single dorr exit blocked by table and chairs | 0 | 6-30-13 | 11/14/12 | 14 |
| | BW | Children's Library - single door exit - Fire alarm manual pull station blocked by furniture | 0 | 6-30-13 | 11/14/12 | 15 |
| | | | | | | 16 |
| | BW | PH Bldg (Pharmacy Bldg) Bldg. 55: No deficiencies noted | | | | 17 |
| | | | | | | 18 |
| | | DL Bidg (Dentai Bidg) Bidg. 56: | | | | 19 |
| | BW | Stairwell area of refuge - Emergency call button did not work. | 0 | 6-30-13 | 1/7/13 | 20 |
| | BW | Hallway by room 119 - Carts/equipment blocking egress path - Fire Alarm pull station blocked in same area | 0 | 6-30-13 | 11/14/12 | 21 |
| | | | | | | 22 |
| | BW | CC Bldg (Library Annex Conference Center): No deficiencies noted | | | | 23 |
| | | | | | | 24 |
| | BW | MA Bidg (Maintenance Bidg): No deficiencies noted | | | | 25 |
| | | | | | | 26 |
| | BV | Classroom and Offices (Modular Bidg) 701 - 708: No deficiencies noted | | - | | 27 |
| | | | | | | 28 |
| | | Note: Sprinkler risers red tagged in the following buildings - UP Bldg. LI Bldg. PH Bldg. DL Bldg | | | 1/24/13 | 29 |
| | BW | Note: NFPA 25 requires quarterly sprinkler inspections. Noted only annual inspection tags posted. | | | 1/24/13 | 8 |

| Deficiency Date Line Corrected Deficiency Number By Corrected | - | | | | | | | | | | | | | | | |
|---|--|--|--|--|--|------|--|--|--|--|--|--|---|--|--|--|
| Prior Times Cited | | | | | | | | | | | | | | | | |
| SREF 2012/2013 Casualty/Sanitation Deficiencies - SPC Seminole Campus Location, Deficiency Description | BW All Buildings: No deficiencies noted. | | | | | | | | | | | | | | | |
| Insp. Initials | BW | | | | | | | | | | | | _ | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | |

| CODE NUMBER | Insp. Initials | SREF 2012/2013 Fire/Casualty/Sanitation Deficiencies - SPC Seminole Campus Portables | Prior D Times C | Deficiency Corrected Bv | Date Deficiency Corrected | Line Vo. |
|-------------|-------------------|--|--------------------|-------------------------------|---------------------------------|--------------|
| | | Location, Deficiency Description | | | 2000 | |
| | BW | BW Portable 601: No deficiencies noted | | | | - |
| | BW | Portable 602. No deficiencies noted | | | | ~ |
| | BW | BW Portable 603: No deficiencies noted | | | | н <i>с</i> о |
| | BV | Portable 604: No deficiencies noted | | | | 0 4 |
| | BW | Portable 605. No deficiencies noted | | | | . u |
| | BW | | | | | , u |
| | BW | | | | | 2 |
| | BW | BW Portable 608: No deficiencies noted | | | | - α |
| | BW | Portable 609: No deficiencies noted | | | | , <i>o</i> |
| | | | | | | , |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | Ţ |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL YEAR 2012-2013 | रा |
|---|---|
| College Facility: St. Petersburg College FIRE DISTRICT: Tarpon Springs SCHOOL / FACILITY: Tarpon Springs Campus # OF SERIOUS ADDRESS: 600 Klosterman Rd. Palm Harbor, FL 34684 # OF NON-SER | # OF SERIOUS FIRE SAFETY VIOLATIONS 0 # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 0 |
| Walter D. Spann, Jr. (Municipal Fire Safety Inspector) FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED | |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) INSPECTOR ADDRESS & PHONE NUMBER 11/18/2012 INSPECTOR ADDRESS & PHONE NUMBER 11/18/2012 SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER COLLEGE BOXED FIRE SAFEY INSPECTOR SIGNATURE / DATE FIRE IN | -dite, Interbourtne, F.L. 32340 - 321-757-7205 12 62373 FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | s are usually the F.I.S.H. numbers the area in question will be |
| St. Petersburg College has met the requirements of F.S.S. 1013.12(2)(d): <u>X</u> YESNO | |
| Approval of Reports by Board (Including Letter)YESNO THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED | LE DISCOVERED |
| DEFICIENCIES. Jim Waechter FACILITY ADMINISTRATOR NAME PRINTED ASSOCIATE VICE President for FPIS FACILITY ADMINISTRATOR TITLE FACILITY ADMINISTRATOR TITLE | Ja X PE 13 |

| CODE NUMBER SREF Ch. 5 | lnsp. Initials | SREF 2012/2013 Casualty/Sanitation Deficiencies - SPC Tarpon Springs Campus | Prior Times Cited | Deficiency Corrected By | Date Deficiency Corrected | Line Number |
|---------------------------|-------------------|--|-------------------------|----------------------------|---------------------------------|----------------|
| | | Location, Deficiency Description | | | | |
| | | BB Bldg. 97 | | | | - |
| 5(3)(c) | WS | East side near Worknet - Trip hazard at sidewalk | 0 | 6-30-13 | 1/24/13 | 2 |
| | | | | | | 3 |
| | | MA Bidg. 89 | | | | 4 |
| 5(1)(e)8l | WS | Eyewash to be adjusted for greater flow | 0 | 6-30-13 | 11/13/12 | 5 |
| | | | | | | 6 |
| | | PS Bldg. 92 | | | | 7 |
| 5(8)(a) | SW | Rear east exit door sticking - will not release on handicap switch operation | 0 | 6-30-13 | 11/13/12 | 80 |
| | | | | | | თ |
| | | | | | | 10 |
| | | Delta Bldg. 88 | | | | 11 |
| 5(17)(b) | ws | Delta 433: plug damaged at oven on counter at back of lab | 0 | 6-30-13 | 11/13/12 | 12 |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

| MS 1 | | Limes | | Corrected Deficiency | Line. No. |
|-------|---|-------|-----|----------------------|--------------|
| | Location, Deficiency Description | Clied | λa, | corrected | |
| | TAU Portable 100: No deficiencies noted | | | | - |
| WS IC | IOTA Portable 105: No deficiencies noted | | | | ~ |
| _ | | | | | m · |
| WS R | RHO Portable 107; No deficiencies noted | | | | 4 u |
| | | | | | о О |
| MS Z | ZETA P{ortable 109: No deficiencies noted | _ | | | ~ |
| WS E | ETA Portable 110: No deficiencies noted | | | | 80 |
| | | | | | ი |
| WS K | KAPPA Portable 111: No deficiencies noted | | | | 위 두 |
| 1 | | | | | 2 |
| MS IT | LAMDA Portable 112: No deficienicies noted | | | | 5 |
| | | | | | 4 |
| MS 0 | OMICRON Portable 114: No deficiencies noted | | | | 15 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | ĺ |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| ANNUAL COMPREHENSIVE SAFI STATE BOARD OF ADMINISTRATIVE RULE - SRE FISCAL VEAD 3 | ANNUAL COMPREHENSIVE SAFETY INSPECTION REPORT STATE BOARD OF EDUCATION ADMINISTRATIVE RULE - SREF 2008 & F.A.C. 69A-58 FISCAL VEAD 2043 2043 |
|---|---|
| College Facility: St. Petersburg College FIRE DISTRICT: Seminole SCHOOL / FACILITY: Veterinary Technology Special Purpose Center ADDRESS: 12476 Ulmerton Road, Largo, FL, 33774 | |
| FIRE DISTRICT FIRE SAFETY INSPECTOR NAME PRINTED (IF JOINT INSPECTION) COLLEGE BOARD FIRESAF | # OF NON-SERIOUS FIRE SAFETY VIOLATIONS 6 Brian Webber (Municipal Fire Safety Inspector) COLLEGE BOARD FIRESAFETY INSPECTOR NAME PRINTED |
| FIRE DISTRICT FIRE SAFETY INSPECTOR SIGNATURE (IF JOINT INSPECTION) INSPECTOR SIGNATURE (IF JOINT INSPECTION) | Ire, Prevention Specialists, Inc., 609 Gina Lane, Melbourne, FL 32940 321-757-7205 Nspector Address а рноие кимвек |
| SIGNATURE DATE FIRE INSPECTOR CERTIFICATION NUMBER COLLEGE BOARD FIRE SAF | 11/18/2012 COLLEGE BOARD FIRE SAFETY INSPECTOR SIGNATURE / DATE FIRE INSPECTOR CERTIFICATION NUMBER |
| <u>LOCATION:</u> Deficiency locations will be identified by a building number followed by the room number (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers affixed above the door leading into that particular room. Or if the deficiency in an area other than an identifiable room number, the area in question will be specifically identified. For example: Pressbox, Field House, Pavillion, etc. | er (e.g. 2-505 or 1-133A). These numbers are usually the F.I.S.H. numbers other than an identifiable room number, the area in question will be |
| St. Petersburg Collcge has met the requirements of F.S.S. 1013.12(2)(d): \underline{X} YES NO | 9 |
| Approval of Reports by Board (Including Letter)YESNO | |
| THE UNDERSIGNED ATTESTS TO THE REVIEW OF THIS REPORT IN ITS ENTIRETY AND ACKNOWLEDGES AWARENESS OF THE DISCOVERED DEFICIENCIES. |) ACKNOWLEDGES AWARENESS OF THE DISCOVERED |
| Jim Waechter Facility Administrator name privited Associate Vice President for FPIS Facility Administrator TTLE | FACILITY ADMINISTRATOR SIGNATURE |
| | |

| Line No. | | - | 7 | ო | 4 | - u | , ₍ | · | Τ | | Γ | Γ | | Τ | | T | T | T | T | T | | T | | | | | | |
|---|---|--|--|---|----------------|--------------------------------|--|---|---|---|---|---|--|---|--|---|---|---|---|---|---|---|--|---|---|---|---|---|
| Date Deficiency Corrected | | 1/11/13 | 1/8/13 | 11/14/12 | 12/19/12 | 11/8/12 | 2/8/13 | | | | | | | | | | | | | | | | | | | | | |
| Deficiency Corrected By | | 6-30-13 | 6-30-13 | 6-30-13 | 6-30-13 | 6-30-13 | 6-30-13 | | | | | | | | | | | | | | | | | | | | | |
| Prior Times Cited | | 0 | 0 | 0 | 0 | 0 | 0 | | - | | | | | | | + | ┢ | | | + | ┢ | | | - | - | | _ | - |
| SREF 2012/2013 Fire Safety Deficiencies - SPC Vet Tech Special Purpose Center | 113: Escutcheon plate mission in office | 140: Electrical Room - Seal around along in January - 11 - 11 - 11 - 11 - 11 - 11 - 11 - | 141-1-b Street Double Pripes III Urywall Celling With The rated materials. | Fire Alarm Tool & Incontained to two classrooms from this storage room propped open | | Generator - No logbook present | Sprinkler Riser - New tag only - July 2011 - No current quarterly/annual inspection tags present | | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | BW | | | - | | | M | | 1 | T | T | | | | | | | | | | - | _ | | | | - | | 1 |
| CODE NUMBER | FFPC 1. 4.5.8.1 | FFPC 1, 12.7.5.1 | FFPC 1 14 5 4 1 | NFPA 72 Table 10.3.1 | NEDA 110 8 2 4 | NEDA 25 Tob. 5.3.4 | NFFA 23, 13016 5.1 | | | | | | | | | | | | | | | | | | | | | |

| Line | | - | | | | | | T | | | | | | | | | | | | | | |
|---|----------------------------------|-----------------------|--|--|--|--|---|---|--|--|---|-------|----------|---|--|--|---|----------|----|--|--|--|
| Date Deficiency | Corrected | | | | | | | | | | | _ | | | | | | | | | | |
| Deficiency Corrected | By | | | | | | | | | | | _ | - | | | | | | | | | |
| Prior Times | Cited | | | | | | | | | | | | | | | | | | | | | |
| SREF 2012/2013 Casualty/Sanitation Deficiencies - SPC Vet Tech Special Purpose Center | Location, Deficiency Description | No deficiencies noted | | | | | | | | | | | | | | | | | | | | |
| Insp. Initials | | Ma | | | | | 1 | 1 | | | - | | <u> </u> | - | | | + | <u>}</u> | +- | | | |
| CODE NUMBER SREF Ch. 5 | | | | | | | | | | | | | | | | | | | | | | |

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

- **SUBJECT:** Acquisition of two (2) properties:
 - 1. 1048 22nd Street South, St. Petersburg, Florida, the current location of the Midtown Educational Center; and
 - 2. 1201 22nd Street South, St. Petersburg, Florida near the current location of the Midtown Educational Center

Board authorization is sought to purchase the above referenced properties from the St. Petersburg Housing Authority for a total price of \$1.2 million plus incidental expenses, including but not limited to costs related to the survey, due diligence inspections, a second appraisal, owner's title commitment and owner's title insurance policy.

On August 21, 2012, Board of Trustees authorization was granted to enter into negotiations with the St. Petersburg Housing Authority for the purchase of the above referenced properties. The College has subsequently negotiated the basic terms and conditions for acquisition of the property the College currently leases at the existing Midtown Center (approximately 1.69 acres with approximately 10,262 square feet of classroom and offices) as well as the Midtown Youth & Family Enrichment Center (approximately 0.71 acres with approximately 13,369 square feet of improvements).

In conjunction with this request, the College will initiate due diligence inspections of the sites, including but not limited to surveys, Phase I Environmental Site Assessment, Asbestos Survey, Title and Development Order/DRI-related issues to ensure the best interests of the College are reflected in the final purchase contract.

Doug Duncan, Senior Vice President, Administrative/Business Services and Information Technology recommends approval.

SPC ST. PETERSBURG COLLEGE

OFFICE OF THE GENERAL COUNSEL District Office (727) 341-3325

January 17, 2013

Darrell Irions Chief Executive Officer St. Petersburg Housing Authority 2001 Gandy Boulevard North St. Petersburg, Florida 33702

Re: Letter of Intent for Midtown Properties

Dear Mr. Irions:

Please accept this letter as St. Petersburg College's Letter of Intent to purchase the Midtown Properties from the St. Petersburg Housing Authority. The "Midtown Properties" (or "Properties") consist of the lot and building located at 1048 22nd Street South, St. Petersburg, Florida 33712; the lot and gymnasium located at 1201 22nd Street South, St. Petersburg, Florida 33712; and all of the seller's rights, title and legal interest, free and clear of rights of first refusal or any other encumbrances of any kind, except any to which the College consents in writing.

The College agrees to pay \$1.2 million at closing, assuming the parties execute a written purchase agreement. In return, the Housing Authority agrees to allow the College to perform due diligence inspections once the parties have executed a written purchase agreement. The Housing Authority also agrees to allow the College to determine, in its sole discretion, whether the Properties are suitable for their intended use following completion of the due diligence inspections. The inspections will consist of, for example and not by limitation, an environmental site assessment and a survey.

The parties agree this letter is not binding on either party. It is simply an expression of the basic terms and conditions to be incorporated in a written purchase agreement. The parties agree they will not be bound until both sides have executed a written purchase agreement. Any purchase agreement will be subject to approval by the College's Board of Trustees. To the extent allowed by law, the parties agree to keep all negotiations and communications between them regarding the potential purchase of the Properties confidential. This letter is valid until February 16, 2013.

Please discuss this letter with the Housing Authority Board of Directors and let me know how you intend to proceed. If you accept the terms and conditions stated herein, please sign below and send me two signed copies of this letter. I will have an authorized agent of the College sign and return one copy for your records. Please contact me should you have questions or concerns. Thank you.

St. Petersburg Housing Authority By: Title:__ CLANASA 3 Date: Sincerely, ŀ Ø L e

Brian P. Miles Associate General Counsel

Board of Trustees, St. Petersburg College

Ву:_____

Title:_____

Date:_____

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: Personnel Report

Approval is sought for the following recommended personnel transactions:

| HIRE Budgeted | | | | | | | | | | |
|---------------|---------------------|----------------------------|--------------------------------|--|--|--|--|--|--|--|
| Effect. Date | Name | Department/Location | Title | | | | | | | |
| 1/22/2013 | Moody,Rachella W | Associate Provost CL | Administrative Svcs Specialist | | | | | | | |
| 1/14/2013 | Lancaster, Mary E | Academic & Student Affairs | Administrative Svcs Specialist | | | | | | | |
| 11/19/2012 | Edmondson,Nia J | Provost SE | Administrative Svcs Specialist | | | | | | | |
| 1/22/2013 | Zeigler,Jeff A | Academic & Student Affairs | Disability Resource Specialist | | | | | | | |
| 1/31/2013 | Smith,Shilo M | District Library DO | Information Res. Librarian | | | | | | | |
| 1/4/2013 | Courtade, Angela M. | BA Programs/UPC | Instructor-12 month | | | | | | | |
| 2/4/2013 | Ferry,Cheryl A | Institutional Advancement | Multimedia Services Specialist | | | | | | | |
| 1/5/2013 | Jean Jr,Paul | Maintenance Services CL | Senior Facilities Specialist | | | | | | | |
| 1/22/2013 | Janik,Brooke S | SPC-Downtown | Student Support Advisor | | | | | | | |
| 1/7/2013 | Ferguson,Lane A | Provost TS | Technology Support Specialist | | | | | | | |

HIRE Temporary/Supplemental

| Effect. Date | Name | Department/Location | Title | | | | | | |
|--------------|----------------------------|----------------------|--------------------|--|--|--|--|--|--|
| 2/2/2013 | Bell,Lisa Ann | BA Programs/UPC | Adjunct Bach Prog. | | | | | | |
| 1/7/2013 | Beorlegui,Loretta Marshall | Nursing HC | Adjunct Bach Prog. | | | | | | |
| 2/4/2013 | Berger,Bari M | Nursing HC | Adjunct Bach Prog. | | | | | | |
| 2/2/2013 | Bourque, Diane L | BA Programs/UPC | Adjunct Bach Prog. | | | | | | |
| 1/7/2013 | Brody,Lisa | BA Programs/UPC | Adjunct Bach Prog. | | | | | | |
| 1/7/2013 | Brownstein, Rachel B | Nursing HC | Adjunct Bach Prog. | | | | | | |
| 1/7/2013 | Caraballo,Elsa M | Nursing HC | Adjunct Bach Prog. | | | | | | |
| 1/7/2013 | Coraggio, Penny J | College of Education | Adjunct Bach Prog. | | | | | | |
| 1/31/2013 | Haumschild, Mary S | BA Programs/UPC | Adjunct Bach Prog. | | | | | | |
| | | | | | | | | | |

| 2/2/2013 | Kerr,Hazel B | BA Programs/UPC | Adjunct Bach Prog. |
|-----------|----------------------------|-------------------------------|-------------------------------|
| 1/7/2013 | LaRosa, MaryAnne | College of Education | Adjunct Bach Prog. |
| 1/7/2013 | Louis,Louisana | Nursing HC | Adjunct Bach Prog. |
| 1/7/2013 | Woodbery,Patricia M | Nursing HC | Adjunct Bach Prog. |
| 1/7/2013 | Pryby,Felicia K | Nursing HC | Contributed Service |
| 1/7/2013 | Schuck,Gail L | Dual Credit - AC | Contributed Service |
| 1/22/2013 | Sibbio,Ralph A | Emergency Medical Services HC | Contributed Service |
| 1/14/2013 | Hopkins,Eric Eugene | District Library DO | General Support |
| 1/24/2013 | Lewis,Nicole | College of Education | General Support |
| 1/22/2013 | Meliah, Kelsi Jane | District Library DO | General Support |
| 1/22/2013 | O'Brien, Madelyn Elizabeth | • | General Support |
| 1/22/2013 | Sanchez, Jessica | Enrollment Management DO | General Support |
| 1/14/2013 | Townsend, Rachel B | District Library DO | General Support |
| 1/7/2013 | Keleske, Allison Marie | Nursing HC | Instr- Temporary % Load |
| 1/7/2013 | Loureiro,Roberto V | Social Science SPG | Instr- Temporary % Load |
| 1/7/2013 | Orris,Marilyn M | Dental Hygiene HC | Instr- Temporary % Load |
| 1/7/2013 | Buell,Athena M | District Library DO | Instructional Support Spec. |
| 1/22/2013 | Love,Martha M | Provost HC | Instructional Support Spec. |
| 1/7/2013 | Bennett, Christopher B | Natural Science TS | Instructor - Temporary Credit |
| 1/7/2013 | Brown,Kenny D | Natural Science TS | Instructor - Temporary Credit |
| 1/7/2013 | Butler, Yvonne J. | Speech - Letters SE | Instructor - Temporary Credit |
| 1/7/2013 | Creegan,Hugh J | Letters CL | Instructor - Temporary Credit |
| 2/4/2013 | Ernst,Lynn A | Allstate Center Provost | Instructor - Temporary Credit |
| 1/7/2013 | Feinman,Mark A | Fine & Applied Arts SPG | Instructor - Temporary Credit |
| 2/2/2013 | Gilstrap, Venita C | Business Technologies CL | Instructor - Temporary Credit |
| 1/7/2013 | Gonzales,Laura B | Business Technologies CL | Instructor - Temporary Credit |
| 1/7/2013 | Gonzales,Laura B | Business Technologies SP | Instructor - Temporary Credit |
| 1/7/2013 | Herman,Shonti R | Respiratory Care HC | Instructor - Temporary Credit |
| 1/7/2013 | Howard,Shemika N | Business Technologies CL | Instructor - Temporary Credit |
| 1/7/2013 | Irving,Ryan M | Business Technologies CL | Instructor - Temporary Credit |
| 1/7/2013 | Jagiella, Aleksandra I | BA Programs/UPC | Instructor - Temporary Credit |
| 1/3/2013 | James, Alfonsa | Social Science TS | Instructor - Temporary Credit |
| 1/7/2013 | Johnson, Terri N | Fine & Applied Arts SE | Instructor - Temporary Credit |
| 1/7/2013 | Kaiser, Ronald Kent | Business Technologies SP | Instructor - Temporary Credit |
| 1/7/2013 | Laborde, David J | Natural Science SPG | Instructor - Temporary Credit |
| 1/7/2013 | Laurance, Anna L | Natural Science SPG | Instructor - Temporary Credit |
| 1/7/2013 | Lowe,Ryan E | Fine & Applied Arts SE | Instructor - Temporary Credit |
| 1/7/2013 | Malizia,Kathleen D | Letters CL | Instructor - Temporary Credit |
| 1/7/2013 | Mandolini,Kimberly S | Dental Hygiene HC | Instructor - Temporary Credit |
| 1/7/2013 | Manty,Brian A | Natural Science OC | Instructor - Temporary Credit |
| 1/7/2013 | Maynes, Timothy A | Business Technologies CL | Instructor - Temporary Credit |
| 1/5/2013 | Mills,Abagail R. | Letters CL | Instructor - Temporary Credit |
| 1/7/2013 | Mills,Luke Walton | Business Technologies CL | Instructor - Temporary Credit |
| 1/7/2013 | Nacheva,Katya P | Natural Science TS | Instructor - Temporary Credit |

| 1/7/2013 | Obenland, Andrea Sue | Fine & Applied Arts CL | Instructor - Temporary Credit |
|-----------|-----------------------------|-------------------------------|--------------------------------|
| 1/7/2013 | Payne,Bryant A | Letters TS | Instructor - Temporary Credit |
| 1/7/2013 | Sheriff, Alvin H I | Business Technologies SP | Instructor - Temporary Credit |
| 1/4/2013 | Signorini,Armando | Mathematics TS | Instructor - Temporary Credit |
| 1/7/2013 | Tsoneva, Valentina D | Letters SPG | Instructor - Temporary Credit |
| 1/7/2013 | Zerihun, Tadesse G | Mathematics SPG | Instructor - Temporary Credit |
| 1/3/2013 | Leahy jr,John R. | Fire Science AC | Instructor- Temporary Non-Cred |
| 1/7/2013 | Ross, Michael P | Criminal Justice AC | Instructor- Temporary Non-Cred |
| 1/28/2013 | Sas,Guy | Corporate Training E&SS DO | Instructor- Temporary Non-Cred |
| 2/2/2013 | Ibarra,Jenica A | District Library DO | Librarian- Temporary |
| 1/28/2013 | Robinson, Amanda A | Leepa/Rattner Museum - DO | Museum Collections Manager |
| 1/28/2013 | Chase, Nicholas James | Landscape Services HEC | OPS Career Level 1 |
| 1/16/2013 | Hall,Gordon W | Enrollment Management DO | OPS Career Level 1 |
| 1/6/2013 | Sherman,Kassandra M | District Library DO | OPS Career Level 1 |
| 1/17/2013 | Douglas, Amanda Marie | Special Programs/Intl Educ DO | OPS Career Level 2 |
| 1/14/2013 | Medrano, Christian E | Special Programs/Intl Educ DO | OPS Career Level 2 |
| 1/18/2013 | Munroe,Kaylyn Nicole | Special Programs/Intl Educ DO | OPS Career Level 2 |
| 1/17/2013 | Sutton, Alexis L | Special Programs/Intl Educ DO | OPS Career Level 2 |
| 1/6/2013 | Smith, Anastasia K. | District Library DO | Other Professional- Temporary |
| 1/27/2013 | Spiller, Christina | District Library DO | Other Professional- Temporary |
| 1/15/2013 | Henderson, Chelsea Elizabet | l Provost SE | Student Assistant |
| 1/7/2013 | Bennett, Rachel Bartlett | BA Programs/UPC | Supplemental Bach Prog. |
| 1/12/2013 | Cappleman, Tammy | Business Technologies CL | Supplemental Instr - Credit |
| 1/7/2013 | Cools-Stephens, Janice A | Letters SPG | Supplemental Instr - Credit |
| 1/7/2013 | Fusari,Krista D. | Letters TS | Supplemental Instr - Credit |
| 1/7/2013 | Gibbons,Linda K. | Nursing HC | Supplemental Instr - Credit |
| 1/7/2013 | Hathcock, April M | Ethics TS | Supplemental Instr - Credit |
| 1/4/2013 | Kerr, Christopher K. | Social Science SE | Supplemental Instr - Credit |
| 1/24/2013 | Mercadante Jr, Richard A. | Letters CL | Supplemental Instr - Credit |
| | | | |

| TRANSFER | PROMOTION | Budgeted |
|----------|------------------|-----------------|
|----------|------------------|-----------------|

| I KANSFENT KOMOTION bugeteu | | | | | | | | | | |
|-----------------------------|-------------------------|--------------------------------|----------------------------------|--|--|--|--|--|--|--|
| Effect. Date | Name | Department/Location | Title | | | | | | | |
| 1/2/2013 | Billiris,Mark N. | Mathematics CL | Acting Academic Department Chair | | | | | | | |
| 1/7/2013 | Smith, Dustin T | Associate Provost CL | Acting Outreach Specialist | | | | | | | |
| 2/4/2013 | Leighton,Lisa Ann | Mathematics SPG | Administrative Svcs Specialist | | | | | | | |
| 1/21/2013 | Starr,Brenda K. | Fac Plan/Construction DO | Administrative Svcs Specialist | | | | | | | |
| 1/7/2013 | Waechter,James D. | Maintenance Services DO | AVP, Facilities Plan&Inst Svcs | | | | | | | |
| 2/4/2013 | Fusari,Krista D. | Tech Prep - DO | Coordinator I, Project | | | | | | | |
| 1/7/2013 | Wright, Diana | Maintenance Services DO | Dir, Facilities Services | | | | | | | |
| 1/7/2013 | Pedicone, James A. | Facilities Plan & Inst Serv DO | Dir., Design & Constr.Svcs | | | | | | | |
| 12/31/2012 | Carver, Eric H | Academic & Student Affairs | Lead Faculty Associate/CETL | | | | | | | |
| 1/7/2013 | Kontodiakos, Theresa A. | Associate Provost TS | Manager, MAP | | | | | | | |
| 1/7/2013 | Rivera, Angelo | Custodial Services CL | Mgr,Custodial&LandscapeSvcs. | | | | | | | |
| | | | | | | | | | | |

| FOREIGN TRAVEL | | | | | | | | | | | |
|------------------|----------------|-----------------------------------|----------|--|--|--|--|--|--|--|--|
| Effect. Date | Name | Department/Location | Title | | | | | | | | |
| 4/15/13-04/24/13 | Kirsch, Ramona | Center for International Programs | Director | | | | | | | | |

To attend the CCIS College Consortium for International Studies Conference and visit the Mayor of Kalymnos, Greece, per SPC 's sister-city agreement contact. To obtain information on study abroad, including volunteer and service learning, assessment of student learning, and meeting global challenges.

Funded by the Center for International Programs. Total estimated cost to the College is \$3,643.00

Doug Duncan, Senior Vice President, Administrative/Business Services & Information Technology; Patty Curtin Jones, Vice President, Human Resources & Public Affairs; and the Strategic Issues Council Members bringing the actions forward, recommend approval.

Ssw020413

MEMORANDUM

TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: FY12-13 July 1 – January 31 Fund 1 Financial Report

Attached for information is the Fund 1 financial report for FY12-13 July 1 – January 31 time period.

Doug Duncan, Senior Vice President, Administrative/Business Services & Information Technology, Jamelle Conner, Associate Vice President, Planning, Budget and Compliance, recommend approval.

Attachments


Jjc020513

St. Petersburg College Fund Analysis As of January 31, 2013

| Revenues | | Destants | | | D | | | | | |
|------------------------|--------------------------|--------------------------|----------------|---------------|-----------------------------|------------------|----------|------------|--------------|---------------|
| | FY 2012-13 | Projected Revenue for | Actual January | | Revenue Received Year to | YTD as % of | YTD % | | Projected | YTD Projected |
| | | month of January | Revenue | Difference | Date | | | Difference | February | February |
| Student Fees | Budgeted \$71,775,706 | \$6,520,334 | \$3,015,821 | | | Budget 77% | | | \$160,490 | \$55,731,038 |
| | . , , | | | (\$3,504,513) | | 48% | | | . , | |
| State Government | \$63,234,353 | \$4,363,671 | \$4,363,692 | \$21 | \$30,545,585 | | | | \$6,537,732 | \$37,083,317 |
| Other Revenues | \$3,962,196 | \$534,664 | \$290,384 | (\$244,280) | \$1,915,793 | <u>48%</u> 0% | | | \$299,627 | \$2,215,420 |
| Non Revenue Sources | \$5,895,029 | \$9,132 | \$0 | (\$9,132) | | | | | (\$1,909) | (\$1,909) |
| Total Revenues | \$144,867,283 | \$11,427,801 | \$7,669,897 | (\$3,757,904) | \$88,031,926 | 61% | 66% | -5% | \$6,995,940 | \$95,027,866 |
| | | | | | | | | | | |
| Expenses | | | | | | | | | | |
| - | | Projected | | | | | | | | |
| | FY 2012-13 | Expense for | Actual January | | Expense Year to | YTD as % of | YTD % | | Projected | YTD Projected |
| | Budgeted | month of January | Expense | Difference | Date | Budget | Expected | Difference | February | February |
| Personnel | | | | | | | | | | |
| Administrative | \$20,405,375 | \$1,581,790 | \$1,513,423 | (\$68,367) | \$12,114,428 | 59% | 63% | | \$1,559,868 | \$13,674,296 |
| Instructional | \$43,486,496 | \$2,165,286 | \$2,157,320 | (\$7,967) | | 53% | 54% | | \$3,530,986 | \$26,796,228 |
| Non-Instructional | \$23,900,492 | \$1,841,697 | \$1,765,723 | (\$75,974) | \$12,924,991 | 54% | 57% | | \$1,846,946 | \$14,771,937 |
| OPS | \$3,450,707 | \$232,342 | \$243,100 | \$10,758 | \$1,743,968 | 51% | 54% | | \$273,766 | \$2,017,734 |
| Personnel Benefits | \$21,755,250 | \$1,710,868 | \$1,884,198 | \$173,329 | \$14,020,036 | 64% | 55% | | \$1,705,847 | \$15,725,883 |
| Total Personnel Costs | \$112,998,321 | \$7,531,984 | \$7,563,763 | \$31,779 | \$64,068,666 | 57% | 56% | 0% | \$8,917,412 | \$72,986,078 |
| Current Expenses | | | | | | | | | | |
| Services | \$14,624,637 | \$1,114,055 | \$1,094,557 | (\$19,497) | \$7,932,465 | 54% | 59% | -4% | \$1,608,055 | \$9,540,520 |
| Materials and Supplies | \$11,202,074 | \$842,246 | \$506,310 | (\$335,936) | \$5,301,124 | 47% | 56% | -9% | \$1,031,946 | \$6,333,070 |
| Other Current Charges | \$5,061,910 | \$88,237 | \$154,734 | \$66,497 | \$1,823,232 | 36% | 10% | 26% | \$3,212,631 | \$5,035,863 |
| Total Current Expenses | \$30,888,621 | \$2,044,538 | \$1,755,602 | (\$288,936) | \$15,056,820 | 49% | 50% | -1% | \$5,852,632 | \$20,909,453 |
| Capital Purchases | \$980,341 | \$45,514 | \$25,730 | (\$19,784) | \$337,817 | 34% | 41% | -7% | \$43,850 | \$381,666 |
| Total Expenses | \$144,867,283 | \$9,622,036 | \$9,345,095 | (\$276,941) | \$79,463,303 | 55% | 55% | 0% | \$14,813,894 | \$94,277,197 |

| | | | F | <u>Y2012-2013</u> | FUND | <u>1x BU</u> | DGE | T TO ACTUAL | <u>. REF</u> | ORTIN |
|--|-------------|-------------|------------------|-------------------|-----------------------|--------------|------------|----------------------|--------------|-------------|
| Revenue | FY11 | -12 Budget | FY1 ² | 1-12 YTD Actual | <u>% To</u> Budget | | F١ | /12-13 Budget | FY12 | 2-13 YTD Ac |
| Revenue | | | | | | | | | | |
| Student Tuition & Out-of-State Fees | \$ | 61,777,468 | \$ | 49,177,634 | 80% | | \$ | 61,326,755 | \$ | 48,178 |
| State Appropriation - CCPF | \$ | 54,013,658 | \$ | 31,693,140 | 59% | | \$ | 51,927,099 | \$ | 30,545 |
| State Appropriation - Lottery | \$ | 8,056,423 | | 1,342,737 | 17% | | \$ | 10,870,305 | | |
| Operating Cost for New Facilities | \$ | 391,365 | | - | 0% | | \$ | 436,949 | | |
| Distance Learning Fee | \$ | 3,147,188 | | 2,574,884 | 82% | | \$ | 3,319,162 | | 2,565 |
| Technology Fee | \$ | 3,059,794 | | 2,384,644 | 78% | | \$ | 3,074,103 | | 2,367 |
| Lab Revenue Fees | \$ | 2,620,549 | \$ | 1,617,756 | 62% | | \$ | 2,062,917 | \$ | 1,530 |
| Other Revenues | \$ | 3,900,474 | \$ | 2,354,084 | 60% | | \$ | 3,962,196 | \$ | 1,915 |
| Other Student Fees | \$ | 1,716,792 | | 1,008,319 | 59% | | \$ | 1,992,768 | | 927 |
| Fund Transfers In | \$ | 2,465,057 | | - | 0% | | \$ | 2,175,201 | \$ | |
| Revenue Stabilization Reserve | \$ | 2,150,500 | | - | 0% | | \$ | 2,150,500 | \$ | |
| One-Time Non-Recurring Funds | \$ | 1,569,328 | \$ | - | 0% | | \$ | 1,569,328 | \$ | |
| Total Revenues - Fund 1x | \$ | 144,868,595 | \$ | 92,153,200 | 64% | | \$ | 144,867,283 | \$ | 88,031, |
| Operating Casta | | | | | <u>% To</u> | | | | | |
| Operating Costs | <u>FY11</u> | -12 Budget | <u>FY1</u> | 1-12 YTD Actual | Budget | | <u> </u> | <u> 12-13 Budget</u> | <u>FY12</u> | 2-13 YTD Ac |
| Personnel & Benefits | | | | | | | | | | |
| Instructional/Faculty-Full Time | \$ | 25,231,607 | | 14,226,056 | 56% | | \$ | 27,970,430 | | 15,442 |
| Administrative | \$ | 21,807,449 | | 12,506,547 | 57% | | \$ | 20,405,375 | | 12,114 |
| Career (Non-Instructional) | \$ | 23,893,276 | \$ | 12,952,477 | 54% | | \$ | 23,900,492 | \$ | 12,924 |
| Adjunct/Supplemental | \$ | 14,513,682 | ¢ | 8,779,165 | 60% | | \$ | 14,976,123 | ¢ | 7,685 |
| Other Academic | \$ | 539,935 | | 159,496 | 30% | | \$ | 539,943 | | 137 |
| Non-Instructional OPS and Overtime | \$ | 2,657,669 | | 1,502,075 | 57% | | \$ | 2,950,707 | | 1,507 |
| Student Assistants | \$ | 500,000 | \$ | 190,046 | 38% | | \$ | 500,000 | \$ | 236 |
| Personnel Benefits | \$ | 21,537,702 | \$ | 12,852,706 | 60% | | \$ | 21,755,250 | \$ | 14,020 |
| Total Personnel & Benefits | \$ | 110,681,320 | \$ | 63,168,569 | 57% | | \$ | 112,998,321 | \$ | 64,068 |
| Current Expense | | | | | | | | | | |
| Travel | \$ | 578,631 | \$ | 307,012 | 53% | | \$ | 602,964 | \$ | 336 |
| Repairs & Maintenance | \$ | 1,200,032 | \$ | 602,312 | 50% | | \$ | 1,217,864 | \$ | 732 |
| Rentals/Leases | \$ | 430,012 | | 158,540 | 37% | | \$ \$ | 474,271 | | 173 |
| Insurance (Non-Health) | \$ | 2,025,368 | | 1,096,834 | 54% | | \$ | 1,725,368 | | 1,113 |
| Utilities | \$ | 6,255,055 | \$ | 3,357,366 | 54% | | \$ | 6,235,055 | | 3,372 |
| Services and Fees | \$ | 4,430,637 | | 2,147,400 | 48% | | \$ | 4,972,079 | | 2,260 |
| Scholarships/Fee Waivers | \$ | 1,110,895 | | 472,749 | 43% | | \$ | 610,895 | | 639 |
| Materials and Supplies | \$ | 6,614,473 | | 3,121,488 | 47% | | \$ | 5,442,805 | | 2,937 |
| Tech Expense/Licensing | \$ | 2,126,939 | | 1,480,587 | 70% | | \$ | 2,504,455 | | 1,645 |
| Bad Debt/Unemployment Comp/Misc | \$ | 1,170,257 | | 10,613 | 1% | | \$ | 1,147,782 | | (45 |
| Other Current Expense | \$ | 3,157,455 | | 809,795 | 26% | | \$ \$ | 2,700,269 | 1 | 892 |
| Total Current Expense | \$ | 29,099,754 | \$ | 13,564,695 | 47% | | φ | 27,633,806 | \$ | 14,058 |
| Capital Spending | | 2 020 727 | ¢ | 1 104 600 | 400/ | | ¢ | 2 2EA 04E | ¢ | |
| Computer Refresh Leases | \$ | 2,839,737 | ð | 1,184,696 | 42% | | \$ | 3,254,815 | Ð | 998 |
| Capital Purchases- Non-Recurring | \$ | 2,247,784 | \$ | 1,247,559 | 56% | | \$ | 980,341 | \$ | 337 |
| Total Capital Spending | \$ | 5,087,521 | | 2,432,255 | 48% | | \$ | 4,235,156 | | 1,336 |
| and the provide the second sec | 1 | -,, | - * | -, -, • | | | | -,, | | |
| Total Operating Costs - Fund 1x | \$ | 144,868,595 | \$ | 79,165,519 | 55% | | \$ | 144,867,283 | \$ | 79,463 |
| | | | - | | | | | ,,,, | | |
| Total Remaining Funds (Surplus/Deficit) | \$ | (0) | \$ | 12,987,681 | | | \$ | 0 | \$ | 8,568, |
| | ¥ | | ¥ | , | | | ¥ | • | Y | <u> </u> |

| | <u>/ 1 - Jan</u> | uary 3 | 1 | | | |
|----------|-----------------------------|---------|-----------------|--------------------------|-----------------|--|
| | <u>% of YTD</u> Budgeted | Year to | * 1 | | <u>% YOY</u> | Variance Fundametian |
| _ | Revenue | Date % | <u></u> | YOY Variance | Variance | Variance Explanation |
| - | <u>itevenue</u> | | | | | |
| + | 79% | | ¢ | (008 803) | -2% | |
| | <u> </u> | | \$ \$ | (998,893) (1,147,555) | -2% -4% | Due to State funding shift from CCPF to Lottery |
| | 0% | | ∳ \$ | (1,342,737) | -100% | Due to state funding shift from Corr to Lottery |
| | 0% | | \$ | - | 0% | |
| 1 | 77% | | \$ | (8,921) | 0% | |
| 1 | 77% | | \$ | (16,969) | -1% | |
| | 74% | | \$ | (87,550) | -5% | |
| | | | | | | Primarily due to lower than prior year interest and |
| | 48% | | \$ | (438,291) | -19% | dividends and indirect costs recovered |
| <u> </u> | 47% | | \$ | (80,357) | -8% | |
| - | 0% | | \$ | - | 0% | |
| _ | 0% | | \$ | - | 0% | |
| | 0% | | \$ | - | 0% | |
| | 61% | 66% | \$ | (4,121,273) | -4% | |
| | <u>% of YTD</u> | Year to | \$ ` | YOY Variance | <u>% YOY</u> | Variance Explanation |
| | Expense | Date % | Ţ | | <u>Variance</u> | |
| | | | | | | |
| _ | 55% | | \$ | 1,216,142 | 9% | |
| _ | 59% | | \$ | (392,119) | -3% | |
| | 54% | | \$ | (27,486) | 0% | |
| | 51% | | ¢ | (1,093,928) | -12% | |
| - | <u> </u> | | \$ \$ | (1,093,928) | -12% -14% | |
| | <u> </u> | | \$ | 5,318 | 0% | |
| | 47% | | \$ | 46,530 | 24% | Due to federal work study charges not yet moved |
| | 64% | | \$ | 1,167,329 | 9% | Primarily due to increased health expense |
| | 57% | 56% | \$ | 900,097 | 1% | |
| | | | | | | |
| | 56% | | \$ | 28,989 | 9% | |
| | | | | | | Primarily due to increase in repairs and maintenance and |
| <u> </u> | 60% | | \$ | 129,834 | 22% | service contracts |
| _ | 37% | | \$ | 14,787 | 9% | Primarily due to increase in facility rentals |
| - | <u>65%</u> | | \$ | 16,352 | 1% | |
| - | <u>54%</u> 45% | | \$ \$ | 15,633 113,298 | 0% 5% | |
| + | <u> </u> | | ₽ \$ | 166,758 | 35% | Due to timing of scholarship/waiver charges |
| + | <u> </u> | | ∮\$ | (184,133) | -6% | Sao to timing of conclarantp/warren enarges |
| 1 | 66% | | \$ | 165,012 | 11% | |
|) | -4% | | \$ | (55,680) | -525% | |
| | 33% | | \$ | 82,996 | 10% | |
| | 51% | 50% | \$ | 493,848 | 4% | |
| | | | | | | |
| | 31% | | \$ | (186,419) | -16% | |
| | | | | | | Primarily due to one time purchases made last year for |
| | 34% | | \$ | (909,742) | -73% | furniture and minor equipment |
| 1 | 32% | 41% | \$ | <mark>(1,096,161)</mark> | -45% | |
| | | | | | | |
| | 55% | 55% | \$ | 297,784 | 0% | |
| | | | | | | |
| 1 | | 1 | | | | |
| | | | | | | |
| | | | | | | |



Enrollment Marketing *Progress and Potential*

Office of Marketing & Public Information

Presented to SPC Board of Trustees Feb. 19, 2013

Within Reach

Since February 2012

- ✓ Launched *Within Reach* campaign
- Adjusted media strategy Buys aimed more strategically at target markets identified by consultant Clarus Corp.
- Shifted to year-round brand awareness
- Mass marketing to better-targeted age groups
- Niche marketing to "low-hanging fruit"

 - current students
 - transient students
 - applied/not enrolled prior non-completers
 - recent HS graduates
 - non-credit students
 - veterans

Within Reach

Since February 2012

Hired Social Media Marketing Specialist

| Facebook "likes" | > 8,600 |
|---------------------|---------------|
| Twitter followers | > 800 |
| Linked In followers | > 1,600 |
| YouTube subscribers | > 1,350 |
| YouTube video views | > 1.4-million |



- ✓ TV station merged with video services
- Continued overhaul of external website
 - updated content
 fresh look
 better navigation



Transformation and transition

CURRENT CONDITION:

- Transformation underway
- ✓ 3 staff vacancies, including Director of Marketing

NEED:

Take marketing to the next strategic level

EXPERT GUIDANCE:



Trimeka Benjamin





2013 and beyond

 Divert money from traditional media (such as movie theaters) to digital and grassroots campaigns

 Continue transitioning from traditional, brand-recognition marketing to specific calls-to-action

Within Reach

2012 Facebook ads

St. Petersburg College



A career in science – within reach. Convenient. Affordable. Small class sizes. Caring faculty. Classes available online.

St. Petersburg College



A career in technology – within reach. Convenient. Affordable. Small class sizes. Caring faculty. Classes available online.

St. Petersburg College



A music career – within reach. Convenient. Affordable. Small class sizes. Caring faculty. Classes available online.

2013 and beyond

- ✓ In partnership with Enrollment Management:
 - develop stronger marketing strategy for Hispanic and other minority markets
 - integrate CRM (customer-relationship management) software/strategy to gather data and enhance recruitment effectiveness
 - upgrade texting and email capabilities
 - pursue live online chats with potential students

Within Reach



2013 and beyond

- In partnership with Student Affairs: \checkmark
 - continue to solidify our marketing strategies for 0 retention of current students
- ✓ In collaboration across SPC:
 - ensure that SPC's message stays strategic/consistent 0
 - empower colleagues to strengthen brand message 0

Branding and Visual Identity Guide St. Petersburg College

What is a brand and why is it important?

Brand is not a logo or tagline. The brand is how our audience perceives us. It is the promise of what SPC offers the community it serves. As part of a comprehensive research effort, SPC set out to discover what made SPC unique. Based on focus groups and surveys with community, alumni, current students and staff, several unique attributes were identified. They include:



Transformation and transition

- ✓ SPC will have a refined digital marketing plan for 2013-14
- With plan in hand, SPC will launch a national search for a new Director of Marketing & Public Information
- The evolution will continue



Questions?



M E M O R A N D U M


TO: Board of Trustees, St. Petersburg College

FROM: William D. Law, Jr., President

SUBJECT: Discontinuation of Parks & Leisure Services (PALS) Program

Approval is sought to discontinue the Parks & Leisure Services (PALS) Program

As part of a comprehensive program review, the College regularly assesses academic program offerings and related data on student enrollment, program graduates, and job opportunities. For a number of years, the Parks & Leisure Services Program has experienced low enrollment and consistently small numbers of program graduates. The program viability review conducted in 2012 found that over the past four years the number of program graduates showed little improvement. As indicated in the chart below, program graduates peaked at the level of 3. With the program enrollment trend stagnant over the past four academic years, program graduate levels will continue to be low.



Closing the Parks & Leisure Services Program will impact one faculty member.

To ensure a smooth closure of the program and that all groups connected with the program are supported in every possible way, communication plans have been developed for students, faculty, staff, advisory committee members, and the community. The 21 students currently enrolled in the program will have individualized plans for program completion and will be assigned a dedicated advisor. Full attention will be given to providing a plan for students to complete their program in a timely manner.

The data and information noted above demonstrate the challenges the program offers. As a result, Anne Cooper, Sr. Vice President of Academic and Student Affairs; James Olliver, Provost, Seminole Campus; and Joseph Smiley, Academic Dean, recommend the discontinuation of the Parks and Leisure Services (PALS) Program.